

DEPARTMENT OF THE NAVY
BASE REALIGNMENT AND CLOSURE
PROGRAM MANAGEMENT OFFICE WEST
33000 NIXIE WAY, BLDG 59 Suite 207
SAN DIEGO, CA 92147

5000-33A
Ser BPMOW.dr/332
October 10, 2019

Wayne Praskins (email only)
U.S. Environmental Protection Agency
Region IX
75 Hawthorne Street
San Francisco, CA 94105-3901

Nina Bacey (email only)
California Environmental Protection Agency
Department of Toxic Substance Control
700 Heinz Avenue, Bldg. F, Suite 200
Berkeley, CA 94710-2721

Tina Low (email only)
San Francisco Bay Regional Water Quality Control Board
1515 Clay Street, Suite 1400
Oakland, CA 94612

Dear BCT Members:

**SUBJECT: DRAFT ADDENDUM TO THE FIVE-YEAR REVIEW, EVALUATION OF
RADIOLOGICAL REMEDIAL GOALS FOR BUILDINGS, HUNTERS POINT
NAVAL SHIPYARD, SAN FRANCISCO, CA**

Recommendations in Section 7 of the 2019 Five-Year Review for the former Hunters Point Naval Shipyard (HPNS) include a long-term protectiveness evaluation of the building radiological remedial goals. This letter summarizes the results from an evaluation of these goals and provides dates and contact information for submittal of formal comments.

The full evaluation, calculations, and explanations for calculation inputs are attached (Enclosure 1). The evaluation, once finalized, will be included as an addendum to the Final 2019 Five Year Review and will complete this 5-Year Review recommendation.

EVALUATION SUMMARY

The Navy has completed radiological remedial actions at HPNS in accordance with removal actions and records of decision for different areas of the base. The remedial goals in these documents are consistent and summarized below (Table 1).

5000-33A
Ser BPMOW.dr/332
October 10, 2019

TABLE 1 – Hunters Point Radiological Remedial Goals

Radionuclide of Concern ¹	Building Surface Remediation Goals (dpm/100 cm ²)
Americium (Am)-241 (²⁴¹ Am)	100
Cesium (Cs)-137 (¹³⁷ Cs)	5,000
Cobalt (Co)-60 (⁶⁰ Co)	5,000
Europium (Eu)-152 (¹⁵² Eu)	5,000
Eu-154 (¹⁵⁴ Eu)	5,000
Plutonium (Pu)-239 (²³⁹ Pu)	100
Radium (Ra)-226 (²²⁶ Ra)	100
Strontium (Sr)-90 (⁹⁰ Sr)	1,000
Thorium (Th)-232 (²³² Th)	36.5
Tritium, H-3 (³ H)	5,000
Uranium (U)-235+D (²³⁵ U)	488

¹ Not all of the radionuclides of concern are included in all of the documents/areas.

The Navy uses RESRAD-BUILD (RESRAD) to estimate risk and dose from building surface radiation exposure. RESRAD is the industry standard computer model used for radiation exposure evaluations and is used by the Navy to evaluate the building surface radiation remedial goals for protectiveness.

To verify protectiveness of the radiation remedial goals, the estimated dose from each radiological constituent is converted to a risk value that is then compared to the risk management range as described in National Contingency Plan (NCP). Risk values that fall within this range are considered protective.

RESRAD EVALUATION

As part of the 2019 Five-Year Review recommendations for HPNS, remedial goals for building surfaces were evaluated for protectiveness using current standards and methods. The Navy has completed its review using RESRAD and summarized results below (Table 2).

5000-33A
Ser BPMOW.dr/332
October 10, 2019

TABLE 2 – RESRAD Evaluation of Building Surface Radiological Remedial Goals

Radionuclide of Concern	Total Dose (mrem/year)	Total Risk
²⁴¹ Am	0.48	1.3E-06
⁶⁰ Co	7.12	4.1E-05
¹³⁷ Cs	1.81	2.4E-05
¹⁵² Eu	3.55	3.6E-05
¹⁵⁴ Eu	3.77	3.1E-05
³ H	0.00	1.2E-09
²³⁹ Pu	0.47	1.6E-06
²²⁶ Ra	0.22	3.0E-06
⁹⁰ Sr	0.03	2.5E-07
²³² Th	0.75	3.4E-06
²³⁵ U	0.67	3.3E-06

Both the indoor worker and resident scenarios were evaluated for dose and risk. The residential scenario is reported in the table above because it the most conservative of future building uses and indicates that all other building uses are also protective. The assumptions used to determine building surface risk are conservative, represent maximum dose and risk values, and are used for evaluation purposes only. Since buildings are not uniformly contaminated, the actual doses and risks from exposure to radionuclides in HPNS buildings are expected to be considerably less than these maximum values.

For building surface radiation remedial goals, the RESRAD evaluation performed by the Navy indicates that all radiological remedial goals for soil meet current protectiveness standards and fall within the NCP risk management range. The technical write-up and calculations are included in Enclosure 1.

CONCLUSION

This evaluation, once finalized, will fulfill the 5-Year Review recommendation to evaluate the long-term protectiveness of the radiological remediation goals for buildings. Using RESRAD to estimate the maximum radiation dose and risk to residents from exposures to Hunters Point building surfaces has verified that the radiation remediation goals are protective for all future building users.

5000-33A
Ser BPMOW.dr/332
October 10, 2019

The 30-day review period for this document ends on November 10, 2019. Official comments can be submitted in writing to me at 33000 Nixie Way, Building 50, Suite 207, San Diego, CA 92147 or by email at derek.j.robinson1@navy.mil.

Sincerely,



DEREK J. ROBINSON
BRAC Environmental Coordinator
By direction of the Director

Enclosure: 1. Estimated Excess Cancer Risks and Dose Equivalent Rates from Resident Exposures to Radionuclide Contamination on Building Surfaces Report, Hunters Point Naval Shipyard, San Francisco, CA [October 7, 2019]

Copy to:

Dr. Sheetal Singh (email only)
California Dept. of Public Health
EMB, MS 7402
1616 Capitol Avenue
P.O. Box 997377
Sacramento, CA 95899-7377

Amy Brownell (email only)
Department of Public Health
1390 Market Street, Suite 210
San Francisco, CA 94102

Draft
Hunters Point Naval Shipyard
Estimated Excess Cancer Risks and Dose Equivalent Rates from
Exposures to Radiological Contamination on Building Surfaces
Report

Prepared under:
Contract No. N44255-14-D-9013
Task Order No. N6247318F5420

Prepared by:
BATTELLE
505 King Ave.
Columbus, OH 43201

October 7, 2019

CONTENTS

1	Introduction	1-2
2	Radionuclide Decay and Progeny Ingrowth.....	2-3
3	Calculation of Dose and Risk Using RESRAD-BUILD	3-3
3.1	Dose and Risk Library.....	3-4
3.2	Time Parameters.....	3-4
3.3	Building Parameters.....	3-5
3.4	Radiological Units.....	3-5
3.5	Receptor Parameters.....	3-5
3.6	Source Parameters.....	3-5
3.7	RESRAD-BUILD Input and Output Files	3-7
4	Summary	4-1
5	References	5-1
Appendix A. Radioactive Decay Plots.....		A-1
Appendix B. RESRAD-BUILD Input Files.....		B-1
Appendix C. RESRAD-BUILD Output Files.....		C-1

TABLES

Table 1. Current Building Surface Remediation Goals from 2006 HPNS Action Memorandum.....	1-2
Table 2. Input Values Used to Calculate Peak Doses and Total Risks in RESRAD-BUILD	3-6
Table 3. Source Input Concentrations, Indoor Worker Doses and Risks, and Resident Doses and Risks from RESRAD-BUILD.....	3-1

1 Introduction

This report describes the calculation of estimated excess cancer risks and dose equivalent rates resulting from potential, future exposures to localized, radiological contamination in impacted buildings at the former Hunters Point Naval Shipyard (HPNS) in San Francisco, California. HPNS was placed on the National Priorities List in 1989 and the Department of the Navy (DON) has been undertaking response actions under its Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) authority in each parcel. These actions are conducted to ensure average, radionuclide-specific radioactivity concentrations on building surfaces do not exceed the remediation goals (RGs) stated in the 2006 Action Memorandum (AM) (NAVFAC, 2006). The RGs presented in Table 1 were intended to be the most conservative available, are applied using the Multi-Agency Radiation Survey and Site Investigation Manual (MARSSIM, USEPA 2000), and are applied to site- and radionuclide-specific background.

Table 1. Current Building Surface Remediation Goals from 2006 HPNS Action Memorandum

Radionuclide of Concern	Building Surface Remediation Goals (dpm/100 cm ²)
Americium (Am)-241 (²⁴¹ Am)	100
Cesium (Cs)-137 (¹³⁷ Cs)	5,000
Cobalt (Co)-60 (⁶⁰ Co)	5,000
Europium (Eu)-152 (¹⁵² Eu)	5,000
Eu-154 (¹⁵⁴ Eu)	5,000
Plutonium (Pu)-239 (²³⁹ Pu)	100
Radium (Ra)-226 (²²⁶ Ra)	100
Strontium (Sr)-90 (⁹⁰ Sr)	1,000
Thorium (Th)-232 (²³² Th)	36.5
Tritium, H-3 (³ H)	5,000
Uranium (U)-235+D (²³⁵ U)	488

In support of the current five-year review, the Navy is evaluating the protectiveness of the current building surface RGs for future occupants, both indoor workers and residents. Under CERCLA, cleanup goals are considered protective if excess cancer risks from site exposures remain within the excess lifetime cancer risk range of 10^{-4} to 10^{-6} . The Navy uses the model RESRAD-BUILD to estimate radiation doses and risks from exposure to surface radiological contamination. Where applicable, the input parameters in RESRAD-BUILD have been adjusted to be consistent with the default parameters used in both the USEPA Building Dose Compliance Concentrations for Radionuclides (BDCC) and Building Preliminary Remediation Goals for Radionuclides (BPRG) online calculators.

RESRAD-BUILD, Version 3.5 (<http://resrad.evs.anl.gov/codes/resrd-build/>) is a downloadable computer code, developed jointly by the Department of Energy and the Nuclear Regulatory Commission. It is considered the industry standard for estimating the dose equivalent and related risk to human health and the environment resulting from exposure to radioactively contaminated building surfaces.

Section 2 provides an overview of the concepts of radioactive decay and the ingrowth of radioactive daughters (progeny) from parent radionuclides. Section 3 describes the use of RESRAD-BUILD, and the resultant doses and risks, using assumptions about the nature of the radionuclides on HPNS building surfaces and about future occupant exposures to those surfaces.

2 Radionuclide Decay and Progeny Ingrowth

The term radionuclide refers to any nuclide that is unstable and undergoes radioactive decay. Radioactive decay is the spontaneous transformation of the unstable nuclide (parent) into one or more nuclides (daughters or progenies) with an accompanying release of energy or particles. “Radioactivity” or, in short, “activity” (A), is the rate of radioactive decay, i.e., the number of nucleus transformations per unit time, and is directly proportional to the number of unstable nuclei in a source¹. The units of activity are curies (Ci) or becquerels (Bq). One Bq represents one disintegration (decay or transformation) per second (dps), and 1 Ci = 3.7E+10 Bq. One Ci involves a large number of transformations; therefore, a smaller unit, picocurie (pCi), is often used, which is equivalent to 1E-12 Ci. Activity concentration of a radionuclide is defined as the activity (in Ci or Bq) per mass or volume of environmental media (e.g., pCi/gram(g), pCi/liter(L)).

For a given radionuclide, the rate of decay is characterized as the half-life ($T_{1/2}$) and is the average time for half of the initial radionuclide activity (in pCi) to decay. The production of these progenies is referred to as “ingrowth.” Progenies can either be stable or radioactive. If the progeny is radioactive, decay will continue until a stable nuclide is reached. A series of sequential radioactive progeny form a decay chain. For the ROCs listed in Table 1:

- The parent radionuclides ^{60}Co , ^{154}Eu and ^3H have no radioactive progeny.
- The parent radionuclides ^{137}Cs and ^{90}Sr have one radioactive progeny each.
- The parent radionuclides ^{241}Am , ^{152}Eu , ^{239}Pu , ^{226}Ra , ^{232}Th and ^{235}U form decay chains.

Progeny with half-lives that are short relative to that of their parent will increase in activity until they reach secular equilibrium with the parent. In secular equilibrium, the activity of the progeny equals that of the parent, or some fraction of the parent activity based on the associated branching fraction for that mode of radioactive decay. Within the first 1,000 years of parent ROC decay, the following observations are made from the decay plots in Appendix A:

- ^{241}Am and ^{152}Eu do not reach secular equilibrium with any progeny.
- ^{137m}Ba reaches secular equilibrium nearly immediately with its parent ^{137}Cs . Since ^{137}Cs only decays to ^{137m}Ba 94.4% of the time (the branching fraction for this decay), the maximum ^{137m}Ba activity can only reach 94.4% of the ^{137}Cs activity. The remaining 5.6% of ^{137}Cs decays are to the stable progeny ^{137}Ba .
- ^{90}Sr and its progeny ^{90}Y reach secular equilibrium nearly immediately.
- ^{235m}U is the only progeny to reach secular equilibrium with its parent ^{239}Pu .
- ^{231}Th is the only progeny to reach secular equilibrium with its parent ^{235}U .
- All the progenies reach secular equilibrium with the parent ^{226}Ra according to their branching fractions.
- All progenies reach secular equilibrium with the parent ^{232}Th according to their branching fractions.

3 Calculation of Dose and Risk Using RESRAD-BUILD

This section summarizes the user-provided inputs and changes to default parameter values (presented in Table 2) needed to calculate the site-specific doses and risks from building surface exposures.

¹ Radioactive decay is a statistically random process so this is only true if the number of radioactive atoms in the source is large.

3.1 Dose and Risk Library

Two custom libraries were created using the RESRAD Dose Conversion Factor (DCF) Editor, Version 2.5 (2009) embedded as a tool in RESRAD-BUILD. The custom library called HPNS Adult uses DCFs for external exposures from Federal Guidance Report (FGR) No. 12 (USEPA 1993), DCFs for inhalation and ingestion exposures from International Commission on Radiological Protection Publication 72 (ICRP 1995) for adults, and risk coefficients for total cancer morbidity from the Health Effects Assessment Summary Tables (HEAST) (USEPA 2001). The custom library called HPNS Child uses DCFs for external exposures from FGR 12 (USEPA 1993), DCFs for inhalation and ingestion exposures from ICRP 72 (ICRP 1995) for children (age 15), and risk coefficients for total cancer morbidity from HEAST (USEPA 2001).

3.2 Time Parameters

The estimation of dose and risk in RESRAD is based in part on the amount of time the receptor (indoor worker or resident) is exposed to the source (surface contamination). The total length of time is the product of the exposure duration (days), the indoor fraction and the receptor time fraction. An indoor worker is assumed to be onsite for a work career of 25 years and residents are assumed to reside onsite for 26 years, consisting of six years as a child followed immediately by 20 years as an adult. Adult exposures are assumed to begin at 18 years of age, meaning child exposures occur approximately between 12 and 18 years of age. The time fraction is discussed with Receptor Parameters below.

RESRAD-BUILD integrates doses and risks over the entered exposure duration starting at each evaluation time. For example, with an exposure duration of 365 days, evaluation times at zero, one, two and three years provides the receptor doses and risks for the periods Year 0-1, Year 1-2, Year 2-3 and Year 3-4, respectively.

When dose is a potential Applicable or Relevant and Appropriate Requirement (ARAR), the maximum dose that occurs in any year of exposure is reported as the peak dose in units of mrem/yr. Consistent with Question 35 in USEPA 2014a, if the peak dose is 12 mrem or less, the cleanup goals are considered protective for a residential receptor receiving that dose annually for up to 30 years. For each of the HPNS ROCs, the peak dose occurs where the total activity of the radionuclide, or decay chain, is at a maximum. This occurs in the first year for each ROC as shown in the figures in Appendix A. Thus, the peak dose was determined from the dose at time zero for each ROC, which is the dose accumulated during the first year of exposure to dust on contaminated surfaces, using a 365-day exposure duration.

Cancer risk due to exposure to contaminated surfaces is reported as the lifetime cancer risk accumulated throughout the exposure period. If the summed risks for each year of exposure remain within the 10^{-4} to 10^{-6} range, the cleanup goals are considered protective for the associated receptors. For risk calculations, the exposure durations were increased from the default of 365 days to 9,125 days (25 years) for indoor workers, to 2,190 days (6 years) for child residents and to 7,300 days (20 years) for adult residents to be consistent with the USEPA BPRG Calculator and the USEPA *Update of Standard Default Exposure Factors* (USEPA 2014b).

While the exposure duration drives the length of the period over which doses and risks are integrated, the evaluation times determine the start of each period. For determination of peak dose, the evaluation time is always the default of Year 0 which results in the peak dose during the first year of exposure to the contaminated surface. Workers are adults during the first year of exposure, while residents are children during the first year. For determination of total worker risk, the exposure period of 9,125 days begins at Year 0 and encompasses the entire 25-year exposure. For total resident risk, the 9,490-day exposure period (26 years) is divided into periods of 2,190 days for child residents and 7,300 days for

adult residents. The child resident exposure begins at Year 0, but the adult exposure begins six years later at Year 6.

The default indoor fraction of 0.5 (50%) was changed to 0.68 (250 days each 365 days) for indoor workers and to 0.96 (350 days each 365 days) for both child and adult residents according to USEPA 2014b.

3.3 Building Parameters

Building parameters include the physical size of the room containing the surface contamination, air exchange rate and the rates of contamination deposition and resuspension.

The room floor size was decreased from the default of 36 m² to 9.3 m², with a room height of 3.05 m, to be consistent with the 10 x 10 x 10 feet room as an option in the USEPA BPRG Calculator and in Finklea 2015. The room is assumed to be 3.05 x 3.05 x 3.05 m.

The building air exchange rate was increased from the default of 0.8 room volume exchanges per hour (1/h) to 1.5 exchanges per hour for nonresidential rooms (i.e., for the indoor worker) according to Table 19-3 in USEPA 2018 and decreased to 0.45 exchanges per hour for residential rooms according to Table 19-1 in USEPA 2018.

3.4 Radiological Units

Source activity was input as disintegrations per minute (dpm) and the output dose measured in milliroentgen equivalent man (mrem). The contamination is modeled as activity per surface area and is entered in the source parameters section in units dpm/m².

3.5 Receptor Parameters

Receptor parameters include the fraction of time the worker or resident is in the room with the source, their breathing and ingestion rates, and their location relative to the source.

The time fraction for indoor workers was decreased from the default of 1.0 to 0.33 to reflect an eight hour work day in the room with the source according to the EPA BPRG Calculator and USEPA 2014b. Residents were assumed to spend all their indoor time in the room with the source and the default time fraction was used.

The breathing (inhalation) rate was increased from the default of 18 m³/day to 60 m³/day for indoor workers, decreased to 10 m³/day for child residents and increased to 20 m³/day for adult residents to be consistent with the USEPA BPRG Calculator, USEPA Standard Default Exposure Factors (USEPA 1991) and USEPA Exposure Factors Handbook (USEPA 1997).

The default ingestion rate of 0.0001 m²/h was used for adult workers and residents. The ingestion rate for child residents was increased to 0.0002 m²/h to be consistent with the ratio of child to adult rates in Table 5-1 of USEPA 2017.

The receptor was placed in the center of the 3.05 x 3.05 m concrete floor at location x: 1.5 m, y: 1.5 m, z: 1m, directly above the source.

3.6 Source Parameters

The source type and direction were changed from the default of a volume source radiating in the Y direction to an area source radiating in the Z direction (toward the receptor) consistent with floor surface contamination. The source location was changed from the default of x: 0 m, y: 0 m, z: 0 m to x:

1.5 m, y: 1.5 m, z: 0 m to center the source directly under the receptor location. The source shape was changed from the default of a 36 m² disk to a 3.05 x 3.05 m square to cover the entire room floor area.

The removable fraction is the fraction of the source activity that can be removed from the surface from normal cleaning and wear. The default value is 0.5 and the remaining activity is assumed to be fixed activity. The RGs in the 2006 AM for ²⁴¹Am, ¹³⁷Cs, ⁶⁰Co, ¹⁵²Eu, ¹⁵⁴Eu, ²³⁹Pu, ²²⁶Ra, ⁹⁰Sr and ³H are based on the surface activity limits in Regulatory Guide 1.86 (AEC 1974) and a removable fraction of 0.2 (20%). The RG in the 2006 AM for ²³²Th and ²³⁵U are based on the source activity that resulted in 25 mrem/yr using RESRAD-BUILD Version 3.3 and a removable fraction of 0.5 (50%). The removable fraction was decreased from the default of 0.5 to 0.2 for all radionuclides to be consistent with the Navy source model assumptions and with radiological survey methodology. All floor surfaces in impacted buildings are surveyed as MARSSIM Class 1 survey units meaning that 100% of the surface areas are prepared for radiological scanning and static measurements. This preparation included cleaning which removes or reduces removable surface contamination. While survey data has historically indicated there is no to little residual activity that is removable, a conservative removable fraction of 0.2 was used in this report.

Lifetime is the time over which the removable fraction is eroded due to activities such as receptor contact and routine cleaning. Since there is no renewal of the source (shipyard operations have ceased using radiological materials), the erosion linearly reduces the source activity over the source lifetime. The lifetime was increased from the default 365 days to the total exposure period for each receptor: 9,125 days for indoor workers and 9,490 days for residents (both as child and adult).

The radon release fraction is the fraction of the total radon produced in either the ²²⁶Ra or ²³²Th decay chains that escapes the contaminated surface to the air. The default of 0.1 (10%) was increased to 0.4 (40%) for the ²²⁶Ra chain and decreased to 0.02 (2%) for the ²³²Th chain to be consistent with EPA Guidance (EPA 2014a).

Table 2. Input Values Used to Calculate Peak Doses and Total Risks in RESRAD-BUILD

Input Tab	Parameter	Default Value	Indoor Worker Value	Resident Value			
				Child	Adult		
Case	Dose/Risk Library	FGR 11	HPNS Adult	HPNS Child	HPNS Adult		
Time Parameters	Exposure Duration (for dose)	365 d	365 d				
	Exposure Duration (for risk)	365 d	9,125 d (25 years)	2,190 d (6 years)	7,300 d (20 years)		
	Indoor Fraction	0.5	0.68	0.96			
	Evaluation Times (for dose)	0 yr	0 yr				
Building Parameters	Evaluation Times (for risk)	0 yr	0 yr		6 yr		
	Room Area	36 m ²	9.3 m ²				
	Building Exchange Rate	1/hour	1.5/h	0.45/h			
Radiological Units	Activity		dpm				
	Dose		mrem				
Receptor Parameters	Time Fraction	1	0.33	1			
	Breathing Rate	18 m ³ /d	60 m ³ /d	10 m ³ /d	20 m ³ /d		
	Ingestion Rate	0.0001 m ² /h	0.0001 m ² /h	0.0002 m ² /h	0.0001 m ² /h		
	Location	x: 0 m, y: 0 m, z: 0 m	x: 1.5 m, y: 1.5 m, z: 1 m				
Source Parameters	Type/Direction	Volume/Y	Area/Z				
	Location	x: 0 m, y: 0 m, z: 0 m	x: 1.5 m, y: 1.5 m, z: 0 m				
	Removable Fraction	0.5	0.2				
	Lifetime	365 d	9,125 d	9,490 d			
	Radon Release Fraction	0.1	0.4 for ²²² Rn from ²²⁶ Ra decay chain 0.02 for ²²⁰ Rn from ²³² Th decay chain				
	Radionuclide Concentration	1 dpm/m ²	See Table 3				

3.7 RESRAD-BUILD Input and Output Files

RESRAD-BUILD inputs were modified as described in the previous sections and summarized in Table 2. The following input (*.BLD), and associated output files (*.PDF), were used in the summary of worker and resident potential doses and risks as presented in Section 4. Because RESRAD-BUILD only allows ten sources at a time, the input files were split to run the eleventh ROC, ²³⁵U, separately. Note that there is no dose associated with an adult resident because the peak dose occurs in the first year of exposure, while the resident is still considered a child.

Indoor worker dose

- HPNS BUILD IW Am to Pu_25Sep19_9pt3m2_dose.bld
- *HPNS BUILD IW Am to Pu_9pt3m2_25Sep19_FGR 12 ICRP 72 dose.pdf*
- HPNS BUILD IW U_25Sep19_9pt3m2_dose.bld
- *HPNS BUILD IW U_9pt3m2_25Sep19_FGR 12 ICRP 72 dose.pdf*

Indoor worker risk

- HPNS BUILD IW Am to Pu_25Sep19_9pt3m2_risk.bld
- *HPNS BUILD IW Am to Pu_9pt3m2_25Sep19_HEAST risk.pdf*
- HPNS BUILD IW U_25Sep19_9pt3m2_risk.bld
- *HPNS BUILD IW U_9pt3m2_25Sep19_HEAST risk.pdf*

Child resident dose

- HPNS BUILD Child Am to Pu_25Sep19_9pt3m2_dose.bld

- *HPNS BUILD Child Am to Pu_9pt3m2_25Sep19_FGR 12 ICRP 72 dose.pdf*
- *HPNS BUILD Child U_25Sep19_9pt3m2_dose.bld*
- *HPNS BUILD Child U_9pt3m2_25Sep19_FGR 12 ICRP 72 dose.pdf*

Child resident risk

- HPNS BUILD Child Am to Pu_25Sep19_9pt3m2_risk.bld
- *HPNS BUILD Child Am to Pu_9pt3m2_25Sep19_HEAST risk.pdf*
- HPNS BUILD Child U_25Sep19_9pt3m2_risk.bld
- *HPNS BUILD Child U_9pt3m2_25Sep19_HEAST risk.pdf*

Adult resident risk

- HPNS BUILD Adult Am to Pu_25Sep19_9pt3m2_risk.bld
- *HPNS BUILD Adult Am to Pu_9pt3m2_25Sep19_HEAST risk.pdf*
- HPNS BUILD Adult U_25Sep19_9pt3m2_risk.bld
- *HPNS BUILD Adult U_9pt3m2_25Sep19_HEAST risk.pdf*

Doses are taken from the *Pathway Detail of Doses* section in the Dose Program Output for each source, by pathway, and the external, inhalation and ingestion doses summed to determine the peak dose.

Risks are taken from the *Pathway Detail of Risks* section in the Risk Program Output for each source, by pathway, and the external, inhalation and ingestion risks summed to determine the total risk.

Table 3. Source Input Concentrations, Indoor Worker Doses and Risks, and Resident Doses and Risks from RESRAD-BUILD

Parent ROC	Contributing Progeny	Input Concentration (dpm/m ²)	Peak Dose (mrem/yr)		Total Risk	
			Indoor Worker	Resident	Indoor Worker	Resident
²⁴¹ Am		10,000	0.20	0.48	3.1E-07	1.3E-06
⁶⁰ Co		500,000	1.66	7.12	9.4E-06	4.1E-05
¹³⁷ Cs	^{137m} Ba	500,000	0.42	1.81	5.5E-06	2.4E-05
¹⁵² Eu		500,000	0.83	3.55	8.3E-06	3.6E-05
¹⁵⁴ Eu		500,000	0.88	3.77	7.1E-06	3.1E-05
³ H		500,000	0.00	0.00	1.4E-10	1.2E-09
²³⁹ Pu	^{235m} U	10,000	0.19	0.47	3.6E-07	1.6E-06
²²⁶ Ra	²²² Rn+D	10,000				
	²¹⁰ Pb+D	10,000	0.02	0.22	6.2E-07	3.0E-06
	²¹⁰ Po+D	10,000				
⁹⁰ Sr	⁹⁰ Y	100,000	0.01	0.03	3.0E-08	2.5E-07
²³² Th		3,650				
	²²⁸ Ra+D	3,650	0.33	0.75	9.0E-07	3.4E-06
	²²⁸ Th+D	3,650				
²³⁵ U	²³¹ Th	48,800	0.28	0.67	7.5E-07	3.3E-06

As shown in Table 3, the resultant RESRAD-BUILD risks for individual radionuclides or radionuclide decay chains are protective for both worker and residential exposures to building surfaces that are uniformly contaminated at the remedial goal levels. While the BPRG calculator includes only ingestion and external exposure pathways for dust on building surfaces, the doses and risks in Table 3 also include the inhalation pathway. Since any building is not uniformly contaminated, the actual risks are expected to be considerably less than these maximum values.

4 Summary

This report describes the use of RESRAD-BUILD to estimate the doses and excess cancer risks to both indoor workers and residents from exposures to HPNS building surfaces uniformly contaminated at the structures remediation goal levels. The assumptions and methods used in this report are very conservative and the use of additional site-specific data and refined exposure scenarios would result in more realistic and lower dose and risk estimates. However, the current estimated risks remain within the 10^{-4} to 10^{-6} range for both exposure scenarios, indicating that remedial goals in the 2006 Action Memorandum are protective for future indoor workers and residents.

5 References

Atomic Energy Commission (AEC 1974), *Regulatory Guide 1.86. Termination of Operating Licenses for Nuclear Reactors*. June.

Finklea 2015, *Room Radiation Dose Coefficients for External Exposure*. Master's Thesis. Georgia Institute of Technology, August. Accessed at <https://epa-bdcc.ornl.gov/Documents/FinkleaRoomThesisFinal.pdf>.

International Commission on Radiological Protection (ICRP 1995), *Age-dependent Doses to the Members of the Public from Intake of Radionuclides - Part 5 Compilation of Ingestion and Inhalation Coefficients*. Available at <http://www.icrp.org/publication.asp?id=ICRP%20Publication%2072>.

Naval Facilities Engineering Command (NAVFAC 2006), Southwest. *Final – Basewide Radiological Removal Action: Action Memorandum – Revision 2006, Hunters Point Shipyard, San Francisco, CA*. April.

United States Environmental Protection Agency (USEPA 2018), *Update for Chapter 19 of the Exposure Factors Handbook, Building Characteristics*, EPA/600/R-18/121F, July. Accessed at https://www.epa.gov/sites/production/files/2018-07/documents/efh - chapter_19_update.pdf.

United States Environmental Protection Agency (USEPA 2017), *Update for Chapter 5 of the Exposure Factors Handbook, Soil and Dust Ingestion* EPA/600/R-17/384F, September. Accessed at https://www.epa.gov/sites/production/files/2018-01/documents/efh-chapter05_2017.pdf.

United States Environmental Protection Agency (USEPA 2014a), *Radiation Risk Assessment at CERCLA Sites: Q & A*. Directive 9200.4-40. Office of Superfund Remediation and Technology Innovation. Washington, DC. May. Accessed at <https://semspub.epa.gov/work/HQ/176329.pdf>.

United States Environmental Protection Agency (USEPA 2014b), *Human Health Evaluation Manual, Supplemental Guidance: Update of Standard Default Exposure Factors*, Office of Solid Waste and Emergency Response (OSWER) Directive 9200.1-120, February 6. Accessed at https://epa-bprg.ornl.gov/documents/OSWER_Directive_9200.1-120_ExposureFactors_corrected2.pdf.

United States Environmental Protection Agency (USEPA 2001), *Health Effects Assessment Summary Tables (HEAST), Radionuclide Table: Radionuclide Carcinogenicity Slope Factors*, April. Accessed at https://www.epa.gov/sites/production/files/2015-02/documents/heast2_table_4-d2_0401.pdf.

United States Environmental Protection Agency (USEPA 2000), Department of Energy, Nuclear Regulatory Commission, and Department of Defense. 2000. *Multi-Agency Radiation Survey and Site Investigation Manual (MARSSIM)*. NUREG-1575, Rev. 1. EPA 402-R-97-016, Rev. 1. DOE/EH-0624, Rev. 1. August.



United States Environmental Protection Agency (USEPA 1997), *Volume I – General Factors, Exposure Factors Handbook*, EPA/600/P-95/002Fa, August. Accessed at https://epa-bprg.ornl.gov/documents/EFH_Final_1997_EPA600P95002Fa.pdf.



United States Environmental Protection Agency (USEPA 1993), *FEDERAL GUIDANCE REPORT NO. 12 EXTERNAL EXPOSURE TO RADIONUCLIDES IN AIR, WATER, AND SOIL*, EPA-402-R-93-081, September. Accessed at <https://www.epa.gov/sites/production/files/2015-05/documents/402-r-93-081.pdf>.



United States Environmental Protection Agency (USEPA 1991), *Risk Assessment Guidance for Superfund, Volume I: Human Health Evaluation Manual, Supplemental Guidance: Standard Default Exposure Factors, Interim Final*, Office of Emergency and Remedial Response, March 25. Accessed at <https://epa-bprg.ornl.gov/documents/OSWERdirective9285.6-03.pdf>.



Appendix A. Radioactive Decay Plots



The following plots of radioactive decay for each parent ROC were generated using the Decay Chain Activity Projection Tool (<https://rais.ornl.gov/cgi-bin/chain/chain.pl>) developed by Oak Ridge National Laboratory (ORNL).














Appendix B. RESRAD-BUILD Files

=====

=====
==
== RESRAD-BUILD Table of Contents ==
==
=====

RESRAD-BUILD Input Parameters..... 2

Building Information..... 3

Source Information..... 4

For time = 0.00E+00 yr

Time Specific Parameters..... 9

Receptor-Source Risk Summary..... 14

Risk by Pathway Detail..... 15

Risk by Nuclide Detail..... 17

For time = 6.00E+00 yr

Time Specific Parameters..... 20

Receptor-Source Risk Summary..... 25

Risk by Pathway Detail..... 26

Risk by Nuclide Detail..... 28

Title : HPNS RESRAD-BUILD Adult Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Adult Am to Pu_25Sep19_9pt3m2_risk.bld

```
=====
=====
===
    === RESRAD-BUILD Input Parameters ===
===
=====
=====
```

Number of Sources : 10

Number of Receptors: 1

Total Time : 7.300000E+03 days

Fraction Inside : 9.600000E-01

```
===== Receptor Information =====
```

Receptor	Room	x	y	z	FracTime	Inhalation	Ingestion(Dust)
		[m]	[m]	[m]	[m ³ /day]	[m ² /hr]	
1	1	1.500	1.500	1.000	1.000	2.00E+01	1.00E-04

```
== Receptor-Source Shielding Relationship ==
```

Receptor	Source	Density	Thickness	Material
		[g/cm ³]	[cm]	

1	1	2.40E+00	0.00E+00	Concrete
1	2	2.40E+00	0.00E+00	Concrete
1	3	2.40E+00	0.00E+00	Concrete
1	4	2.40E+00	0.00E+00	Concrete
1	5	2.40E+00	0.00E+00	Concrete
1	6	2.40E+00	0.00E+00	Concrete
1	7	2.40E+00	0.00E+00	Concrete
1	8	2.40E+00	0.00E+00	Concrete
1	9	2.40E+00	0.00E+00	Concrete
1	10	2.40E+00	0.00E+00	Concrete

Title : HPNS RESRAD-BUILD Adult Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Adult Am to Pu_25Sep19_9pt3m2_risk.bld

===== Building Information =====

Building Air Exchange Rate: 4.50E-01 1/hr

Height[m] Air Exchanges [m³/hr]

Area [m²]

* *

* *

* <=Q01: 1.28E+01

H1: 3.050 * Room 1 * Q10: 1.28E+01

* LAMBDA: 4.50E-01 *

Area 9.300 * *

* *

Deposition velocity: 1.00E-02 [m/s] Resuspension Rate: 5.00E-07 [1/s]

Title : HPNS RESRAD-BUILD Adult Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Adult Am to Pu_25Sep19_9pt3m2_risk.bld

===== Source Information =====

Source: 1

Location:: Room: 1 x: 1.50 y: 1.50 z: 0.00[m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Contamination::

Nuclide Concentration Slope Factor

Ingestion Inhalation

[dpm/m²] [Risk/dpm] [Risk/dpm]

AM-241 9.990E+03 9.775E-11 1.266E-08

NP-237 0.000E+00 7.293E-11 7.979E-09

U-233 0.000E+00 7.207E-11 5.225E-09

TH-229 0.000E+00 5.802E-10 1.012E-07

Source: 2

Location:: Room: 1 x: 1.50 y: 1.50 z: 0.00[m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Contamination::

Nuclide Concentration Slope Factor

Ingestion Inhalation

[dpm/m²] [Risk/dpm] [Risk/dpm]

CO-60 5.000E+05 1.815E-11 1.613E-11

Title : HPNS RESRAD-BUILD Adult Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Adult Am to Pu_25Sep19_9pt3m2_risk.bld

Source: 3

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00[m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Contamination::

Nuclide Concentration Slope Factor

Ingestion Inhalation

 [dpm/m²] [Risk/dpm] [Risk/dpm]

CS-137 5.000E+05 1.950E-11 5.360E-12

Source: 4

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00[m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Contamination::

Nuclide Concentration Slope Factor

Ingestion Inhalation

 [dpm/m²] [Risk/dpm] [Risk/dpm]

GD-152 0.000E+00 2.833E-11 4.099E-09

EU-152 5.000E+05 7.297E-12 4.099E-11

Title : HPNS RESRAD-BUILD Adult Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Adult Am to Pu_25Sep19_9pt3m2_risk.bld

Source: 5

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00[m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Contamination::

Nuclide Concentration Slope Factor

Ingestion Inhalation

 [dpm/m²] [Risk/dpm] [Risk/dpm]

EU-154 5.000E+05 1.284E-11 5.180E-11

Source: 6

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00[m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Contamination::

Nuclide Concentration Slope Factor

Ingestion Inhalation

 [dpm/m²] [Risk/dpm] [Risk/dpm]

H-3 5.000E+05 9.910E-14 8.964E-14

Title : HPNS RESRAD-BUILD Adult Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Adult Am to Pu_25Sep19_9pt3m2_risk.bld

Source: 7

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00[m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Contamination::

Nuclide Concentration Slope Factor

Ingestion Inhalation[dpm/m²] [Risk/dpm] [Risk/dpm]

PU-239 9.990E+03 1.243E-10 1.500E-08

U-235 0.000E+00 7.359E-11 4.550E-09

PA-231 0.000E+00 1.685E-10 2.050E-08

AC-227 0.000E+00 5.232E-10 9.399E-08

Source: 8

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00[m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Radon Release Fraction: 4.000E-01

Contamination::

Nuclide Concentration Slope Factor

Ingestion Inhalation[dpm/m²] [Risk/dpm] [Risk/dpm]

PO-210 9.990E+03 3.586E-10 4.865E-09

RA-226 9.990E+03 3.290E-10 5.210E-09

PB-210 9.990E+03 8.403E-10 1.391E-09

Title : HPNS RESRAD-BUILD Adult Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Adult Am to Pu_25Sep19_9pt3m2_risk.bld

Source: 9

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00[m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Contamination::

Nuclide Concentration Slope Factor

Ingestion Inhalation

[dpm/m²] [Risk/dpm] [Risk/dpm]

SR-90 9.990E+04 6.500E-11 5.108E-11

Source: 10

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00[m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Radon Release Fraction: 2.000E-02

Contamination::

Nuclide Concentration Slope Factor

Ingestion Inhalation

[dpm/m²] [Risk/dpm] [Risk/dpm]

TH-232 3.640E+03 1.041E-10 1.950E-08

TH-228 3.640E+03 3.643E-10 6.425E-08

RA-228 3.640E+03 1.030E-09 2.355E-09

Title : HPNS RESRAD-BUILD Adult Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Adult Am to Pu_25Sep19_9pt3m2_risk.bld

Evaluation Time: 0.0000000E+00 years

```
=====
=====
==== Assessment for Time: 1 ===
==== Time =0.00E+00 yr ===
=====
```

```
===== Source Information =====
```

Source: 1

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Contamination:: Nuclide Concentration

[dpm/m²]

AM-241 9.990E+03

NP-237 0.000E+00

U-233 0.000E+00

TH-229 0.000E+00

Source: 2

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Contamination:: Nuclide Concentration

[dpm/m²]

CO-60 5.000E+05

Title : HPNS RESRAD-BUILD Adult Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Adult Am to Pu_25Sep19_9pt3m2_risk.bld

Evaluation Time: 0.0000000E+00 years

Source: 3

Location:: Room: 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Contamination:: Nuclide Concentration

[dpm/m²]

CS-137 5.000E+05

Source: 4

Location:: Room: 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Contamination:: Nuclide Concentration

[dpm/m²]

GD-152 0.000E+00

EU-152 5.000E+05

Source: 5

Location:: Room: 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Contamination:: Nuclide Concentration

[dpm/m²]

EU-154 5.000E+05

Title : HPNS RESRAD-BUILD Adult Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Adult Am to Pu_25Sep19_9pt3m2_risk.bld

Evaluation Time: 0.0000000E+00 years

Source: 6

Location:: Room: 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Contamination:: Nuclide Concentration

[dpm/m²]

H-3 5.000E+05

Source: 7

Location:: Room: 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Contamination:: Nuclide Concentration

[dpm/m²]

PU-239 9.990E+03

U-235 0.000E+00

PA-231 0.000E+00

AC-227 0.000E+00

Title : HPNS RESRAD-BUILD Adult Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Adult Am to Pu_25Sep19_9pt3m2_risk.bld

Evaluation Time: 0.0000000E+00 years

Source: 8

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Contamination:: Nuclide Concentration

[dpm/m²]

PO-210 9.990E+03

RA-226 9.990E+03

PB-210 9.990E+03

Source: 9

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Contamination:: Nuclide Concentration

[dpm/m²]

SR-90 9.990E+04

Source: 10

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Contamination:: Nuclide Concentration

[dpm/m²]

** RESRAD-BUILD Risk Program Output, Version 3.50 09/25/19 13:32:30 Page: 13 **

Title : HPNS RESRAD-BUILD Adult Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Adult Am to Pu_25Sep19_9pt3m2_risk.bld

Evaluation Time: 0.0000000E+00 years

TH-232 3.640E+03

TH-228 3.640E+03

RA-228 3.640E+03

Title : HPNS RESRAD-BUILD Adult Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Adult Am to Pu_25Sep19_9pt3m2_risk.bld

Evaluation Time: 0.0000000E+00 years

```
=====
=====
===
      RESRAD-BUILD Risk Tables
===
=====
=====
```

Source Contributions to Receptor Risks

```
=====
[Risk]
```

Source	Source	Source	Source	Source	Source	Source	Source	Total			
1	2	3	4	5	6	7	8	9	10		
Receptor 1	1.17E-06	3.93E-05	2.03E-05	3.23E-05	2.84E-05	9.18E-10	1.37E-06	6.40E-06	1.85E-07	3.32E-06	1.33E-04
Total	1.17E-06	3.93E-05	2.03E-05	3.23E-05	2.84E-05	9.18E-10	1.37E-06	6.40E-06	1.85E-07	3.32E-06	1.33E-04

Title : HPNS RESRAD-BUILD Adult Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Adult Am to Pu_25Sep19_9pt3m2_risk.bld

Evaluation Time: 0.0000000E+00 years

Pathway Detail of Risks

=====

{Risk}

Source: 1

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 3.12E-08 4.31E-11 3.28E-13 1.11E-06 0.00E+00 2.06E-08

Total 3.12E-08 4.31E-11 3.28E-13 1.11E-06 0.00E+00 2.06E-08

Source: 2

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 3.92E-05 4.29E-08 9.05E-10 2.10E-08 0.00E+00 5.62E-08

Total 3.92E-05 4.29E-08 9.05E-10 2.10E-08 0.00E+00 5.62E-08

Source: 3

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 2.01E-05 2.66E-08 5.07E-10 1.85E-08 0.00E+00 1.62E-07

Total 2.01E-05 2.66E-08 5.07E-10 1.85E-08 0.00E+00 1.62E-07

Source: 4

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 3.21E-05 4.02E-08 7.91E-10 1.05E-07 0.00E+00 4.48E-08

Total 3.21E-05 4.02E-08 7.91E-10 1.05E-07 0.00E+00 4.48E-08

Source: 5

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 2.82E-05 3.37E-08 6.72E-10 1.04E-07 0.00E+00 6.13E-08

Total 2.82E-05 3.37E-08 6.72E-10 1.04E-07 0.00E+00 6.13E-08

Source: 6

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 0.00E+00 0.00E+00 0.00E+00 3.32E-10 0.00E+00 5.86E-10

Total 0.00E+00 0.00E+00 0.00E+00 3.32E-10 0.00E+00 5.86E-10

Source: 7

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 1.37E-09 1.90E-12 1.86E-15 1.34E-06 0.00E+00 2.67E-08

Total 1.37E-09 1.90E-12 1.86E-15 1.34E-06 0.00E+00 2.67E-08

Title : HPNS RESRAD-BUILD Adult Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Adult Am to Pu_25Sep19_9pt3m2_risk.bld

Evaluation Time: 0.0000000E+00 years

Source: 8

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 1.54E-06 2.10E-09 4.33E-11 5.86E-07 4.03E-06 2.42E-07

Total 1.54E-06 2.10E-09 4.33E-11 5.86E-07 4.03E-06 2.42E-07

Source: 9

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 4.33E-08 5.72E-11 7.78E-13 3.50E-08 0.00E+00 1.07E-07

Total 4.33E-08 5.72E-11 7.78E-13 3.50E-08 0.00E+00 1.07E-07

Source: 10

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 7.73E-07 7.51E-10 1.62E-11 2.02E-06 4.35E-07 9.25E-08

Total 7.73E-07 7.51E-10 1.62E-11 2.02E-06 4.35E-07 9.25E-08

Title : HPNS RESRAD-BUILD Adult Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Adult Am to Pu_25Sep19_9pt3m2_risk.bld

Evaluation Time: 0.0000000E+00 years

Nuclide Detail of Risks

=====

[Risk]

Source: 1

Nuclide Receptor Total

1		
AM-241	1.17E-06	1.17E-06
NP-237	2.99E-12	2.99E-12
U-233	4.52E-17	4.52E-17
TH-229	4.18E-19	4.18E-19

Source: 2

Nuclide Receptor Total

1		
CO-60	3.93E-05	3.93E-05

Source: 3

Nuclide Receptor Total

1		
CS-137	2.03E-05	2.03E-05

Source: 4

Nuclide Receptor Total

1		
GD-152	8.72E-19	8.72E-19
EU-152	3.23E-05	3.23E-05

Title : HPNS RESRAD-BUILD Adult Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Adult Am to Pu_25Sep19_9pt3m2_risk.bld

Evaluation Time: 0.0000000E+00 years

Source: 5

Nuclide Receptor Total

1

EU-154 2.84E-05 2.84E-05

Source: 6

Nuclide Receptor Total

1

H-3 9.18E-10 9.18E-10

Source: 7

Nuclide Receptor Total

1

PU-239 1.37E-06 1.37E-06

U-235 5.63E-15 5.63E-15

PA-231 2.65E-18 2.65E-18

AC-227 1.64E-18 1.64E-18

Source: 8

Nuclide Receptor Total

1

PO-210 3.04E-08 3.04E-08

RA-226 6.08E-06 6.08E-06

PB-210 7.33E-08 7.33E-08

PB-210 2.22E-07 2.22E-07

Title : HPNS RESRAD-BUILD Adult Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Adult Am to Pu_25Sep19_9pt3m2_risk.bld

Evaluation Time: 0.0000000E+00 years

Source: 9

Nuclide Receptor Total

1

SR-90 1.85E-07 1.85E-07

Source: 10

Nuclide Receptor Total

1

TH-232 6.45E-07 6.45E-07

TH-228 1.09E-06 1.09E-06

RA-228 2.71E-07 2.71E-07

TH-228 3.26E-07 3.26E-07

TH-228 8.13E-07 8.13E-07

RA-228 1.73E-07 1.73E-07

Title : HPNS RESRAD-BUILD Adult Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Adult Am to Pu_25Sep19_9pt3m2_risk.bld

Evaluation Time: 6.0000000 years

```
=====
=====
==== Assessment for Time: 2 ===
==== Time =6.00E+00 yr ===
=====
```

```
===== Source Information =====
```

Source: 1

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 1.613E-01

Time to Remove: 9.490E+03 [day]

Contamination:: Nuclide Concentration

[dpm/m²]

AM-241 9.437E+03

NP-237 1.843E-02

U-233 2.414E-07

TH-229 4.562E-11

Source: 2

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 1.613E-01

Time to Remove: 9.490E+03 [day]

Contamination:: Nuclide Concentration

[dpm/m²]

CO-60 2.166E+05

Title : HPNS RESRAD-BUILD Adult Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Adult Am to Pu_25Sep19_9pt3m2_risk.bld

Evaluation Time: 6.0000000 years

Source: 3

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 1.613E-01

Time to Remove: 9.490E+03 [day]

Contamination:: Nuclide Concentration

[dpm/m²]

CS-137 4.152E+05

Source: 4

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 1.613E-01

Time to Remove: 9.490E+03 [day]

Contamination:: Nuclide Concentration

[dpm/m²]

GD-152 1.577E-08

EU-152 3.488E+05

Source: 5

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 1.613E-01

Time to Remove: 9.490E+03 [day]

Contamination:: Nuclide Concentration

[dpm/m²]

EU-154 2.973E+05

Title : HPNS RESRAD-BUILD Adult Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Adult Am to Pu_25Sep19_9pt3m2_risk.bld

Evaluation Time: 6.0000000 years

Source: 6

Location:: Room: 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 1.613E-01

Time to Remove: 9.490E+03 [day]

Contamination:: Nuclide Concentration

[dpm/m²]

H-3 3.410E+05

Source: 7

Location:: Room: 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 1.613E-01

Time to Remove: 9.490E+03 [day]

Contamination:: Nuclide Concentration

[dpm/m²]

PU-239 9.527E+03

U-235 5.629E-05

PA-231 3.568E-09

AC-227 2.165E-10

Title : HPNS RESRAD-BUILD Adult Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Adult Am to Pu_25Sep19_9pt3m2_risk.bld

Evaluation Time: 6.0000000 years

Source: 8

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 1.613E-01

Time to Remove: 9.490E+03 [day]

Contamination:: Nuclide Concentration

[dpm/m²]

PO-210 1.634E-01

RA-226 9.504E+03

PB-210 9.526E+03

Source: 9

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 1.613E-01

Time to Remove: 9.490E+03 [day]

Contamination:: Nuclide Concentration

[dpm/m²]

SR-90 8.260E+04

Source: 10

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 1.613E-01

Time to Remove: 9.490E+03 [day]

Contamination:: Nuclide Concentration

[dpm/m²]

Title : HPNS RESRAD-BUILD Adult Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Adult Am to Pu_25Sep19_9pt3m2_risk.bld

Evaluation Time: 6.0000000 years

TH-232 3.472E+03

TH-228 3.472E+03

RA-228 3.472E+03

Title : HPNS RESRAD-BUILD Adult Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Adult Am to Pu_25Sep19_9pt3m2_risk.bld

Evaluation Time: 6.0000000 years

```
=====
=====
===
      RESRAD-BUILD Risk Tables
===
=====
=====
```

Source Contributions to Receptor Risks

```
=====
[Risk]
```

Source	Source	Source	Source	Source	Source	Source	Source	Total			
1	2	3	4	5	6	7	8	9	10		
Receptor 1	1.13E-06	1.70E-05	1.68E-05	2.24E-05	1.68E-05	6.49E-10	1.34E-06	6.06E-06	1.57E-07	3.22E-06	8.50E-05
Total											
	1.13E-06	1.70E-05	1.68E-05	2.24E-05	1.68E-05	6.49E-10	1.34E-06	6.06E-06	1.57E-07	3.22E-06	8.50E-05

Title : HPNS RESRAD-BUILD Adult Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Adult Am to Pu_25Sep19_9pt3m2_risk.bld

Evaluation Time: 6.0000000 years

Pathway Detail of Risks

=====

{Risk}

Source: 1

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 2.93E-08 4.18E-11 3.18E-13 1.08E-06 0.00E+00 2.00E-08

Total 2.93E-08 4.18E-11 3.18E-13 1.08E-06 0.00E+00 2.00E-08

Source: 2

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 1.69E-05 1.94E-08 4.09E-10 9.49E-09 0.00E+00 2.54E-08

Total 1.69E-05 1.94E-08 4.09E-10 9.49E-09 0.00E+00 2.54E-08

Source: 3

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 1.66E-05 2.28E-08 4.34E-10 1.59E-08 0.00E+00 1.38E-07

Total 1.66E-05 2.28E-08 4.34E-10 1.59E-08 0.00E+00 1.38E-07

Source: 4

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 2.23E-05 2.91E-08 5.71E-10 7.60E-08 0.00E+00 3.24E-08

Total 2.23E-05 2.91E-08 5.71E-10 7.60E-08 0.00E+00 3.24E-08

Source: 5

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 1.67E-05 2.08E-08 4.15E-10 6.40E-08 0.00E+00 3.79E-08

Total 1.67E-05 2.08E-08 4.15E-10 6.40E-08 0.00E+00 3.79E-08

Source: 6

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 0.00E+00 0.00E+00 0.00E+00 2.35E-10 0.00E+00 4.14E-10

Total 0.00E+00 0.00E+00 0.00E+00 2.35E-10 0.00E+00 4.14E-10

Source: 7

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 1.30E-09 1.86E-12 1.82E-15 1.32E-06 0.00E+00 2.62E-08

Total 1.30E-09 1.86E-12 1.82E-15 1.32E-06 0.00E+00 2.62E-08

Title : HPNS RESRAD-BUILD Adult Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Adult Am to Pu_25Sep19_9pt3m2_risk.bld

Evaluation Time: 6.0000000 years

Source: 8

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 1.43E-06 2.05E-09 4.23E-11 5.69E-07 3.82E-06 2.36E-07

Total 1.43E-06 2.05E-09 4.23E-11 5.69E-07 3.82E-06 2.36E-07

Source: 9

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 3.56E-08 4.88E-11 6.63E-13 2.99E-08 0.00E+00 9.11E-08

Total 3.56E-08 4.88E-11 6.63E-13 2.99E-08 0.00E+00 9.11E-08

Source: 10

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 7.35E-07 7.36E-10 1.58E-11 1.98E-06 4.13E-07 9.06E-08

Total 7.35E-07 7.36E-10 1.58E-11 1.98E-06 4.13E-07 9.06E-08

Title : HPNS RESRAD-BUILD Adult Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Adult Am to Pu_25Sep19_9pt3m2_risk.bld

Evaluation Time: 6.0000000 years

Nuclide Detail of Risks

=====

[Risk]

Source: 1

Nuclide Receptor Total

1		
AM-241	1.13E-06	1.13E-06
NP-237	4.61E-12	4.61E-12
U-233	9.32E-17	9.32E-17
TH-229	1.11E-18	1.11E-18

Source: 2

Nuclide Receptor Total

1		
CO-60	1.70E-05	1.70E-05

Source: 3

Nuclide Receptor Total

1		
CS-137	1.68E-05	1.68E-05

Source: 4

Nuclide Receptor Total

1		
GD-152	1.22E-18	1.22E-18
EU-152	2.24E-05	2.24E-05

Title : HPNS RESRAD-BUILD Adult Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Adult Am to Pu_25Sep19_9pt3m2_risk.bld

Evaluation Time: 6.0000000 years

Source: 5

Nuclide Receptor Total

1

EU-154 1.68E-05 1.68E-05

Source: 6

Nuclide Receptor Total

1

H-3 6.49E-10 6.49E-10

Source: 7

Nuclide Receptor Total

1

PU-239 1.34E-06 1.34E-06

U-235 8.68E-15 8.68E-15

PA-231 5.48E-18 5.48E-18

AC-227 4.24E-18 4.24E-18

Source: 8

Nuclide Receptor Total

1

PO-210 5.01E-13 5.01E-13

RA-226 5.77E-06 5.77E-06

PB-210 1.08E-07 1.08E-07

PB-210 1.80E-07 1.80E-07

Title : HPNS RESRAD-BUILD Adult Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Adult Am to Pu_25Sep19_9pt3m2_risk.bld

Evaluation Time: 6.0000000 years

Source: 9

Nuclide Receptor Total

1

SR-90 1.57E-07 1.57E-07

Source: 10

Nuclide Receptor Total

1

TH-232 6.32E-07 6.32E-07

TH-228 1.57E-06 1.57E-06

RA-228 3.45E-07 3.45E-07

TH-228 3.59E-08 3.59E-08

TH-228 5.58E-07 5.58E-07

RA-228 8.04E-08 8.04E-08

Title : HPNS RESRAD-BUILD Adult Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Adult U_25Sep19_9pt3m2_risk.bld

=====

=====
==
== RESRAD-BUILD Table of Contents ==
==
=====

RESRAD-BUILD Input Parameters..... 2

Building Information..... 3

Source Information..... 4

For time = 0.00E+00 yr

Time Specific Parameters..... 5

Receptor-Source Risk Summary..... 6

Risk by Pathway Detail..... 7

Risk by Nuclide Detail..... 8

For time = 6.00E+00 yr

Time Specific Parameters..... 9

Receptor-Source Risk Summary..... 10

Risk by Pathway Detail..... 11

Risk by Nuclide Detail..... 12

Title : HPNS RESRAD-BUILD Adult Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Adult U_25Sep19_9pt3m2_risk.bld

```
=====
=====
==== RESRAD-BUILD Input Parameters ===
=====
=====
```

Number of Sources : 1

Number of Receptors: 1

Total Time : 7.300000E+03 days

Fraction Inside : 9.600000E-01

```
===== Receptor Information =====
```

Receptor	Room	x	y	z	FracTime	Inhalation	Ingestion(Dust)
		[m]	[m]	[m]	[m ³ /day]	[m ² /hr]	
1	1	1.500	1.500	1.000	1.000	2.00E+01	1.00E-04

```
==== Receptor-Source Shielding Relationship ===
```

Receptor	Source	Density	Thickness	Material
		[g/cm ³]	[cm]	
1	1	2.40E+00	0.00E+00	Concrete

Title : HPNS RESRAD-BUILD Adult Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Adult U_25Sep19_9pt3m2_risk.bld

===== Building Information ======

Building Air Exchange Rate: 4.50E-01 1/hr

Height[m] Air Exchanges [m3/hr]

Area [m2]

* *

* *

* <=Q01: 1.28E+01

H1: 3.050 * Room 1 * Q10: 1.28E+01

* LAMBDA: 4.50E-01 *

Area 9.300 * *

* *

Deposition velocity: 1.00E-02 [m/s] Resuspension Rate: 5.00E-07 [1/s]

Title : HPNS RESRAD-BUILD Adult Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Adult U_25Sep19_9pt3m2_risk.bld

===== Source Information =====

Source: 1

Location:: Room: 1 x: 1.50 y: 1.50 z: 0.00[m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Contamination::

Nuclide Concentration Slope Factor

Ingestion Inhalation

[dpm/m²] [Risk/dpm] [Risk/dpm]

U-235 4.880E+04 7.359E-11 4.550E-09

PA-231 0.000E+00 1.685E-10 2.050E-08

AC-227 0.000E+00 5.232E-10 9.399E-08

Title : HPNS RESRAD-BUILD Adult Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Adult U_25Sep19_9pt3m2_risk.bld

Evaluation Time: 0.0000000E+00 years

```
=====
=====
==== Assessment for Time: 1 ===
==== Time =0.00E+00 yr ===
=====
```

===== Source Information =====

Source: 1

Location:: Room: 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Contamination:: Nuclide Concentration

[dpm/m²]

U-235 4.880E+04

PA-231 0.000E+00

AC-227 0.000E+00

Title : HPNS RESRAD-BUILD Adult Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Adult U_25Sep19_9pt3m2_risk.bld

Evaluation Time: 0.0000000E+00 years

```
=====
=====
==== RESRAD-BUILD Risk Tables ===
=====
=====
```

Source Contributions to Receptor Risks

[Risk]

Source	Total
1	
Receptor 1	2.82E-06 2.82E-06
Total	2.82E-06 2.82E-06

Title : HPNS RESRAD-BUILD Adult Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Adult U_25Sep19_9pt3m2_risk.bld

Evaluation Time: 0.0000000E+00 years

Pathway Detail of Risks

=====

[Risk]

Source: 1

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 7.44E-07 1.03E-09 1.75E-11 2.00E-06 0.00E+00 7.74E-08

Total 7.44E-07 1.03E-09 1.75E-11 2.00E-06 0.00E+00 7.74E-08

Title : HPNS RESRAD-BUILD Adult Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Adult U_25Sep19_9pt3m2_risk.bld

Evaluation Time: 0.0000000E+00 years

Nuclide Detail of Risks

=====

[Risk]

Source: 1

Nuclide Receptor Total

1

U-235 2.81E-06 2.81E-06

PA-231 1.98E-09 1.98E-09

AC-227 1.58E-09 1.58E-09

Title : HPNS RESRAD-BUILD Adult Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Adult U_25Sep19_9pt3m2_risk.bld

Evaluation Time: 6.0000000 years

```
=====
=====
==== Assessment for Time: 2 ===
==== Time =6.00E+00 yr ===
=====
```

===== Source Information =====

Source: 1

Location:: Room: 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 1.613E-01

Time to Remove: 9.490E+03 [day]

Contamination:: Nuclide Concentration

[dpm/m²]

U-235 4.655E+04

PA-231 5.901E+00

AC-227 5.288E-01

Title : HPNS RESRAD-BUILD Adult Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Adult U_25Sep19_9pt3m2_risk.bld

Evaluation Time: 6.0000000 years

```
=====
=====
===
      RESRAD-BUILD Risk Tables
===
=====
```

Source Contributions to Receptor Risks

[Risk]

Source	Total
1	
Receptor 1	2.74E-06 2.74E-06
Total	2.74E-06 2.74E-06

Title : HPNS RESRAD-BUILD Adult Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Adult U_25Sep19_9pt3m2_risk.bld

Evaluation Time: 6.0000000 years

Pathway Detail of Risks

=====

[Risk]

Source: 1

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 7.07E-07 1.01E-09 1.71E-11 1.96E-06 0.00E+00 7.58E-08

Total 7.07E-07 1.01E-09 1.71E-11 1.96E-06 0.00E+00 7.58E-08

Title : HPNS RESRAD-BUILD Adult Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Adult U_25Sep19_9pt3m2_risk.bld

Evaluation Time: 6.0000000 years

Nuclide Detail of Risks

=====

[Risk]

Source: 1

Nuclide Receptor Total

1

U-235 2.73E-06 2.73E-06

PA-231 3.05E-09 3.05E-09

AC-227 3.14E-09 3.14E-09

Title : HPNS RESRAD-BUILD Child Resident Dose

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child Am to Pu_25Sep19_9pt3m2_dose.bld

=====

=====
==
== RESRAD-BUILD Table of Contents ==
==
=====

RESRAD-BUILD Input Parameters..... 2

Building Information..... 3

Source Information..... 4

For time = 0.00E+00 yr

Time Specific Parameters..... 9

Receptor-Source Dose Summary..... 14

Dose by Pathway Detail..... 15

Dose by Nuclide Detail..... 17

Full Summary..... 20

Title : HPNS RESRAD-BUILD Child Resident Dose

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child Am to Pu_25Sep19_9pt3m2_dose.bld

```
=====
=====
===
    ===
    === RESRAD-BUILD Input Parameters ===
    ===
=====
```

Number of Sources : 10

Number of Receptors: 1

Total Time : 3.650000E+02 days

Fraction Inside : 9.600000E-01

```
===== Receptor Information =====
```

Receptor	Room	x	y	z	FracTime	Inhalation	Ingestion(Dust)
		[m]	[m]	[m]	[m ³ /day]	[m ² /hr]	
1	1	1.500	1.500	1.000	1.000	1.00E+01	2.00E-04

```
== Receptor-Source Shielding Relationship ==
```

Receptor Source Density Thickness Material

[g/cm³] [cm]

1	1	2.40E+00	0.00E+00	Concrete
1	2	2.40E+00	0.00E+00	Concrete
1	3	2.40E+00	0.00E+00	Concrete
1	4	2.40E+00	0.00E+00	Concrete
1	5	2.40E+00	0.00E+00	Concrete
1	6	2.40E+00	0.00E+00	Concrete
1	7	2.40E+00	0.00E+00	Concrete
1	8	2.40E+00	0.00E+00	Concrete
1	9	2.40E+00	0.00E+00	Concrete
1	10	2.40E+00	0.00E+00	Concrete

Title : HPNS RESRAD-BUILD Child Resident Dose

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child Am to Pu_25Sep19_9pt3m2_dose.bld

===== Building Information =====

Building Air Exchange Rate: 4.50E-01 1/hr

Height[m] Air Exchanges [m3/hr]

Area [m2]

* *

* *

* <=Q01: 1.28E+01

H1: 3.050 * Room 1 * Q10: 1.28E+01

* LAMBDA: 4.50E-01 *

Area 9.300 * *

* *

Deposition velocity: 1.00E-02 [m/s] Resuspension Rate: 5.00E-07 [1/s]

Title : HPNS RESRAD-BUILD Child Resident Dose

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child Am to Pu_25Sep19_9pt3m2_dose.bld

===== Source Information =====

Source: 1

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00[m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Contamination::

Nuclide Concentration Dose Conversion Factor (Library: HPNS Child)

Ingestion Inhalation Submersion

[dpm/m²] [mrem/dpm] [mrem/dpm] [mrem/yr/
(dpm/m³)]

AM-241 9.990E+03 1.640E-03 2.000E-01 4.304E-05

NP-237 0.000E+00 2.002E-03 2.432E-01 5.461E-04

U-233 0.000E+00 1.302E-04 6.081E-02 8.576E-07

TH-229 0.000E+00 1.814E-03 9.768E-01 7.842E-04

Source: 2

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00[m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Contamination::

Nuclide Concentration Dose Conversion Factor (Library: HPNS Child)

Ingestion Inhalation Submersion

[dpm/m²] [mrem/dpm] [mrem/dpm] [mrem/yr/
(dpm/m³)]

CO-60 5.000E+05 1.212E-05 9.865E-05 6.629E-03

Title : HPNS RESRAD-BUILD Child Resident Dose

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child Am to Pu_25Sep19_9pt3m2_dose.bld

Source: 3

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00[m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Contamination::

Nuclide Concentration Dose Conversion Factor (Library: HPNS Child)

Ingestion Inhalation Submersion

[dpm/m²] [mrem/dpm] [mrem/dpm] [mrem/yr/
(dpm/m³)]

CS-137 5.000E+05 2.252E-05 1.437E-05 1.434E-03

Source: 4

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00[m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Contamination::

Nuclide Concentration Dose Conversion Factor (Library: HPNS Child)

Ingestion Inhalation Submersion

[dpm/m²] [mrem/dpm] [mrem/dpm] [mrem/yr/
(dpm/m³)]

GD-152 0.000E+00 7.252E-05 1.095E-01 0.000E+00

EU-152 5.000E+05 2.919E-06 9.955E-05 2.973E-03

Title : HPNS RESRAD-BUILD Child Resident Dose

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child Am to Pu_25Sep19_9pt3m2_dose.bld

Source: 5

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00[m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Contamination::

Nuclide Concentration Dose Conversion Factor (Library: HPNS Child)

Ingestion Inhalation Submersion

[dpm/m²] [mrem/dpm] [mrem/dpm] [mrem/yr/
(dpm/m³)]

EU-154 5.000E+05 4.302E-06 1.288E-04 3.230E-03

Source: 6

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00[m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Contamination::

Nuclide Concentration Dose Conversion Factor (Library: HPNS Child)

Ingestion Inhalation Submersion

[dpm/m²] [mrem/dpm] [mrem/dpm] [mrem/yr/
(dpm/m³)]

H-3 5.000E+05 2.883E-08 2.883E-08 1.741E-08

Title : HPNS RESRAD-BUILD Child Resident Dose

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child Am to Pu_25Sep19_9pt3m2_dose.bld

Source: 7

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00[m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Contamination::

Nuclide Concentration Dose Conversion Factor (Library: HPNS Child)

	Ingestion	Inhalation	Submersion
	[dpm/m ²]	[mrem/dpm]	[mrem/dpm]
		[mrem/yr/	(dpm/m ³)]
PU-239	9.990E+03	1.595E-03	1.932E-01
U-235	0.000E+00	1.204E-04	5.541E-02
PA-231	0.000E+00	4.775E-03	5.766E-01
AC-227	0.000E+00	6.665E-03	3.029E+00
			9.734E-04

Source: 8

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00[m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Radon Release Fraction: 4.000E-01

Contamination::

Nuclide Concentration Dose Conversion Factor (Library: HPNS Child)

	Ingestion	Inhalation	Submersion
	[dpm/m ²]	[mrem/dpm]	[mrem/dpm]
		[mrem/yr/	(dpm/m ³)]
PO-210	9.990E+03	8.559E-04	4.234E-03
RA-226	9.990E+03	5.950E-04	3.871E-03
PB-210	9.990E+03	2.422E-03	6.214E-03
			4.698E-06

Title : HPNS RESRAD-BUILD Child Resident Dose

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child Am to Pu_25Sep19_9pt3m2_dose.bld

Source: 9

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00[m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Contamination::

Nuclide Concentration Dose Conversion Factor (Library: HPNS Child)

	Ingestion	Inhalation	Submersion
[dpm/m ²]	[mrem/dpm]	[mrem/dpm]	[mrem/yr/ (dpm/m ³)]

SR-90 9.990E+04 6.883E-05 5.894E-04 1.039E-05

Source: 10

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00[m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Radon Release Fraction: 2.000E-02

Contamination::

Nuclide Concentration Dose Conversion Factor (Library: HPNS Child)

	Ingestion	Inhalation	Submersion
[dpm/m ²]	[mrem/dpm]	[mrem/dpm]	[mrem/yr/ (dpm/m ³)]

TH-232 3.640E+03 1.230E-03 7.387E-01 4.588E-07

TH-228 3.640E+03 3.642E-04 1.556E-01 4.224E-03

RA-228 3.640E+03 6.496E-04 2.287E-03 2.515E-03

Title : HPNS RESRAD-BUILD Child Resident Dose

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child Am to Pu_25Sep19_9pt3m2_dose.bld

Evaluation Time: 0.0000000E+00 years

```
=====
=====
==== Assessment for Time: 1 ===
==== Time =0.00E+00 yr ===
=====
```

```
===== Source Information =====
```

Source: 1

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Contamination:: Nuclide Concentration

[dpm/m²]

AM-241 9.990E+03

NP-237 0.000E+00

U-233 0.000E+00

TH-229 0.000E+00

Source: 2

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Contamination:: Nuclide Concentration

[dpm/m²]

CO-60 5.000E+05

Title : HPNS RESRAD-BUILD Child Resident Dose

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child Am to Pu_25Sep19_9pt3m2_dose.bld

Evaluation Time: 0.0000000E+00 years

Source: 3

Location:: Room: 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Contamination:: Nuclide Concentration

[dpm/m²]

CS-137 5.000E+05

Source: 4

Location:: Room: 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Contamination:: Nuclide Concentration

[dpm/m²]

GD-152 0.000E+00

EU-152 5.000E+05

Source: 5

Location:: Room: 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Contamination:: Nuclide Concentration

[dpm/m²]

EU-154 5.000E+05

Title : HPNS RESRAD-BUILD Child Resident Dose

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child Am to Pu_25Sep19_9pt3m2_dose.bld

Evaluation Time: 0.0000000E+00 years

Source: 6

Location:: Room: 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Contamination:: Nuclide Concentration

[dpm/m²]

H-3 5.000E+05

Source: 7

Location:: Room: 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Contamination:: Nuclide Concentration

[dpm/m²]

PU-239 9.990E+03

U-235 0.000E+00

PA-231 0.000E+00

AC-227 0.000E+00

Title : HPNS RESRAD-BUILD Child Resident Dose

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child Am to Pu_25Sep19_9pt3m2_dose.bld

Evaluation Time: 0.0000000E+00 years

Source: 8

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Contamination:: Nuclide Concentration

[dpm/m²]

PO-210 9.990E+03

RA-226 9.990E+03

PB-210 9.990E+03

Source: 9

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Contamination:: Nuclide Concentration

[dpm/m²]

SR-90 9.990E+04

Source: 10

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Contamination:: Nuclide Concentration

[dpm/m²]

Title : HPNS RESRAD-BUILD Child Resident Dose

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child Am to Pu_25Sep19_9pt3m2_dose.bld

Evaluation Time: 0.0000000E+00 years

TH-232 3.640E+03

TH-228 3.640E+03

RA-228 3.640E+03

Title : HPNS RESRAD-BUILD Child Resident Dose

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child Am to Pu_25Sep19_9pt3m2_dose.bld

Evaluation Time: 0.0000000E+00 years

```
=====
=====
==== RESRAD-BUILD Dose Tables ====
=====
=====
```

Source Contributions to Receptor Doses

===== [mrem]

Source	Source	Source	Source	Source	Source	Source	Source	Total													
1	2	3	4	5	6	7	8	9	10												
Receptor 1	4.84E-01	7.13E+00	1.81E+00	3.56E+00	3.77E+00	3.18E-05	4.67E-01	4.05E-01	3.02E-02	7.84E-01	1.84E+01										
Total											4.84E-01	7.13E+00	1.81E+00	3.56E+00	3.77E+00	3.18E-05	4.67E-01	4.05E-01	3.02E-02	7.84E-01	1.84E+01

Title : HPNS RESRAD-BUILD Child Resident Dose

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child Am to Pu_25Sep19_9pt3m2_dose.bld

Evaluation Time: 0.0000000E+00 years

Pathway Detail of Doses

=====

[mrem]

Source: 1

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 2.70E-03 3.46E-06 2.64E-08 4.46E-01 0.00E+00 3.51E-02

Total 2.70E-03 3.46E-06 2.64E-08 4.46E-01 0.00E+00 3.51E-02

Source: 2

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 7.10E+00 7.44E-03 1.57E-04 8.52E-03 0.00E+00 9.96E-03

Total 7.10E+00 7.44E-03 1.57E-04 8.52E-03 0.00E+00 9.96E-03

Source: 3

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 1.79E+00 2.21E-03 4.20E-05 1.53E-03 0.00E+00 2.30E-02

Total 1.79E+00 2.21E-03 4.20E-05 1.53E-03 0.00E+00 2.30E-02

Source: 4

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 3.54E+00 4.17E-03 8.20E-05 1.00E-02 0.00E+00 2.81E-03

Total 3.54E+00 4.17E-03 8.20E-05 1.00E-02 0.00E+00 2.81E-03

Source: 5

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 3.75E+00 4.24E-03 8.45E-05 1.23E-02 0.00E+00 3.92E-03

Total 3.75E+00 4.24E-03 8.45E-05 1.23E-02 0.00E+00 3.92E-03

Source: 6

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 0.00E+00 0.00E+00 4.77E-10 4.32E-06 0.00E+00 2.75E-05

Total 0.00E+00 0.00E+00 4.77E-10 4.32E-06 0.00E+00 2.75E-05

Source: 7

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 1.09E-04 1.40E-07 1.37E-10 4.33E-01 0.00E+00 3.43E-02

Total 1.09E-04 1.40E-07 1.37E-10 4.33E-01 0.00E+00 3.43E-02

Title : HPNS RESRAD-BUILD Child Resident Dose

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child Am to Pu_25Sep19_9pt3m2_dose.bld

Evaluation Time: 0.0000000E+00 years

Source: 8

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 1.35E-01 1.47E-04 2.87E-06 2.31E-02 1.82E-01 6.42E-02

Total 1.35E-01 1.47E-04 2.87E-06 2.31E-02 1.82E-01 6.42E-02

Source: 9

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 3.62E-03 4.47E-06 6.07E-08 1.26E-02 0.00E+00 1.40E-02

Total 3.62E-03 4.47E-06 6.07E-08 1.26E-02 0.00E+00 1.40E-02

Source: 10

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 5.49E-02 4.95E-05 1.06E-06 6.84E-01 2.87E-02 1.56E-02

Total 5.49E-02 4.95E-05 1.06E-06 6.84E-01 2.87E-02 1.56E-02

Title : HPNS RESRAD-BUILD Child Resident Dose

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child Am to Pu_25Sep19_9pt3m2_dose.bld

Evaluation Time: 0.0000000E+00 years

Nuclide Detail of Doses

=====

[mrem]

Source: 1

Nuclide Receptor Total

1

AM-241 4.84E-01 4.84E-01

NP-237 9.77E-08 9.77E-08

U-233 3.27E-14 3.27E-14

TH-229 1.25E-17 1.25E-17

Source: 2

Nuclide Receptor Total

1

CO-60 7.13E+00 7.13E+00

Source: 3

Nuclide Receptor Total

1

CS-137 1.81E+00 1.81E+00

Source: 4

Nuclide Receptor Total

1

GD-152 3.89E-14 3.89E-14

EU-152 3.56E+00 3.56E+00

Title : HPNS RESRAD-BUILD Child Resident Dose

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child Am to Pu_25Sep19_9pt3m2_dose.bld

Evaluation Time: 0.0000000E+00 years

Source: 5

Nuclide Receptor Total

1

EU-154 3.77E+00 3.77E+00

Source: 6

Nuclide Receptor Total

1

H-3 3.18E-05 3.18E-05

Source: 7

Nuclide Receptor Total

1

PU-239 4.67E-01 4.67E-01

U-235 6.80E-11 6.80E-11

PA-231 4.84E-15 4.84E-15

AC-227 1.81E-16 1.81E-16

Source: 8

Nuclide Receptor Total

1

PO-210 3.01E-02 3.01E-02

RA-226 3.12E-01 3.12E-01

PB-210 9.69E-04 9.69E-04

PB-210 6.21E-02 6.21E-02

Title : HPNS RESRAD-BUILD Child Resident Dose

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child Am to Pu_25Sep19_9pt3m2_dose.bld

Evaluation Time: 0.0000000E+00 years

Source: 9

Nuclide Receptor Total

1

SR-90 3.02E-02 3.02E-02

Source: 10

Nuclide Receptor Total

1

TH-232 6.13E-01 6.13E-01

TH-228 9.23E-04 9.23E-04

RA-228 1.62E-03 1.62E-03

TH-228 1.20E-01 1.20E-01

TH-228 2.21E-02 2.21E-02

RA-228 2.64E-02 2.64E-02

Title : HPNS RESRAD-BUILD Child Resident Dose

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child Am to Pu_25Sep19_9pt3m2_dose.bld

Full Summary

```
=====
=====
===
    ===
    ===  RESRAD-BUILD Dose (Time) Tables  ===
    ===
=====
```

Receptor Dose Received for the Exposure Duration

```
=====
(rem)
```

Evaluation Time [yr]

0.00E+00

1 1.84E+01

Receptor Dose/Yr Averaged Over Exposure Duration

```
=====
(rem/yr)
```

Evaluation Time [yr]

0.00E+00

1 1.85E+01

Title : HPNS RESRAD-BUILD Child Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child Am to Pu_25Sep19_9pt3m2_risk.bld

=====

=====

==
==

== RESRAD-BUILD Table of Contents ==

==
==

=====

=====

RESRAD-BUILD Input Parameters..... 2

Building Information..... 3

Source Information..... 4

For time = 0.00E+00 yr

Time Specific Parameters..... 9

Receptor-Source Risk Summary..... 14

Risk by Pathway Detail..... 15

Risk by Nuclide Detail..... 17

For time = 6.00E+00 yr

Time Specific Parameters..... 20

Receptor-Source Risk Summary..... 25

Risk by Pathway Detail..... 26

Risk by Nuclide Detail..... 28

Title : HPNS RESRAD-BUILD Child Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child Am to Pu_25Sep19_9pt3m2_risk.bld

```
=====
=====
===
    ===
    === RESRAD-BUILD Input Parameters ===
    ===
=====
```

Number of Sources : 10

Number of Receptors: 1

Total Time : 2.190000E+03 days

Fraction Inside : 9.600000E-01

```
===== Receptor Information =====
```

Receptor	Room	x	y	z	FracTime	Inhalation	Ingestion(Dust)
		[m]	[m]	[m]	[m ³ /day]	[m ² /hr]	
1	1	1.500	1.500	1.000	1.000	1.00E+01	2.00E-04

```
== Receptor-Source Shielding Relationship ==
```

Receptor Source Density Thickness Material

[g/cm³] [cm]

1	1	2.40E+00	0.00E+00	Concrete
1	2	2.40E+00	0.00E+00	Concrete
1	3	2.40E+00	0.00E+00	Concrete
1	4	2.40E+00	0.00E+00	Concrete
1	5	2.40E+00	0.00E+00	Concrete
1	6	2.40E+00	0.00E+00	Concrete
1	7	2.40E+00	0.00E+00	Concrete
1	8	2.40E+00	0.00E+00	Concrete
1	9	2.40E+00	0.00E+00	Concrete
1	10	2.40E+00	0.00E+00	Concrete

Title : HPNS RESRAD-BUILD Child Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child Am to Pu_25Sep19_9pt3m2_risk.bld

===== Building Information =====

Building Air Exchange Rate: 4.50E-01 1/hr

Height[m] Air Exchanges [m3/hr]

Area [m2]

* *

* *

* <=Q01: 1.28E+01

H1: 3.050 * Room 1 * Q10: 1.28E+01

* LAMBDA: 4.50E-01 *

Area 9.300 * *

* *

Deposition velocity: 1.00E-02 [m/s] Resuspension Rate: 5.00E-07 [1/s]

Title : HPNS RESRAD-BUILD Child Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child Am to Pu_25Sep19_9pt3m2_risk.bld

===== Source Information =====

Source: 1

Location:: Room: 1 x: 1.50 y: 1.50 z: 0.00[m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Contamination::

Nuclide Concentration Slope Factor

Ingestion Inhalation

[dpm/m²] [Risk/dpm] [Risk/dpm]

AM-241 9.990E+03 9.775E-11 1.266E-08

NP-237 0.000E+00 7.293E-11 7.979E-09

U-233 0.000E+00 7.207E-11 5.225E-09

TH-229 0.000E+00 5.802E-10 1.012E-07

Source: 2

Location:: Room: 1 x: 1.50 y: 1.50 z: 0.00[m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Contamination::

Nuclide Concentration Slope Factor

Ingestion Inhalation

[dpm/m²] [Risk/dpm] [Risk/dpm]

CO-60 5.000E+05 1.815E-11 1.613E-11

Title : HPNS RESRAD-BUILD Child Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child Am to Pu_25Sep19_9pt3m2_risk.bld

Source: 3

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00[m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Contamination::

Nuclide Concentration Slope Factor

Ingestion Inhalation

 [dpm/m²] [Risk/dpm] [Risk/dpm]

CS-137 5.000E+05 1.950E-11 5.360E-12

Source: 4

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00[m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Contamination::

Nuclide Concentration Slope Factor

Ingestion Inhalation

 [dpm/m²] [Risk/dpm] [Risk/dpm]

GD-152 0.000E+00 2.833E-11 4.099E-09

EU-152 5.000E+05 7.297E-12 4.099E-11

Title : HPNS RESRAD-BUILD Child Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child Am to Pu_25Sep19_9pt3m2_risk.bld

Source: 5

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00[m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Contamination::

Nuclide Concentration Slope Factor

Ingestion Inhalation

 [dpm/m²] [Risk/dpm] [Risk/dpm]

EU-154 5.000E+05 1.284E-11 5.180E-11

Source: 6

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00[m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Contamination::

Nuclide Concentration Slope Factor

Ingestion Inhalation

 [dpm/m²] [Risk/dpm] [Risk/dpm]

H-3 5.000E+05 9.910E-14 8.964E-14

Title : HPNS RESRAD-BUILD Child Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child Am to Pu_25Sep19_9pt3m2_risk.bld

Source: 7

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00[m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Contamination::

Nuclide Concentration Slope Factor

	Ingestion	Inhalation
	[dpm/m ²]	[Risk/dpm]
PU-239	9.990E+03	1.243E-10
		1.500E-08
U-235	0.000E+00	7.359E-11
		4.550E-09
PA-231	0.000E+00	1.685E-10
		2.050E-08
AC-227	0.000E+00	5.232E-10
		9.399E-08

Source: 8

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00[m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Radon Release Fraction: 4.000E-01

Contamination::

Nuclide Concentration Slope Factor

	Ingestion	Inhalation
	[dpm/m ²]	[Risk/dpm]
PO-210	9.990E+03	3.586E-10
		4.865E-09
RA-226	9.990E+03	3.290E-10
		5.210E-09
PB-210	9.990E+03	8.403E-10
		1.391E-09

Title : HPNS RESRAD-BUILD Child Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child Am to Pu_25Sep19_9pt3m2_risk.bld

Source: 9

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00[m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Contamination::

Nuclide Concentration Slope Factor

Ingestion Inhalation

[dpm/m²] [Risk/dpm] [Risk/dpm]

SR-90 9.990E+04 6.500E-11 5.108E-11

Source: 10

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00[m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Radon Release Fraction: 2.000E-02

Contamination::

Nuclide Concentration Slope Factor

Ingestion Inhalation

[dpm/m²] [Risk/dpm] [Risk/dpm]

TH-232 3.640E+03 1.041E-10 1.950E-08

TH-228 3.640E+03 3.643E-10 6.425E-08

RA-228 3.640E+03 1.030E-09 2.355E-09

Title : HPNS RESRAD-BUILD Child Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child Am to Pu_25Sep19_9pt3m2_risk.bld

Evaluation Time: 0.0000000E+00 years

```
=====
=====
==== Assessment for Time: 1 ===
==== Time =0.00E+00 yr ===
=====
```

```
===== Source Information =====
```

Source: 1

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Contamination:: Nuclide Concentration

[dpm/m²]

AM-241 9.990E+03

NP-237 0.000E+00

U-233 0.000E+00

TH-229 0.000E+00

Source: 2

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Contamination:: Nuclide Concentration

[dpm/m²]

CO-60 5.000E+05

Title : HPNS RESRAD-BUILD Child Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child Am to Pu_25Sep19_9pt3m2_risk.bld

Evaluation Time: 0.0000000E+00 years

Source: 3

Location:: Room: 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Contamination:: Nuclide Concentration

[dpm/m²]

CS-137 5.000E+05

Source: 4

Location:: Room: 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Contamination:: Nuclide Concentration

[dpm/m²]

GD-152 0.000E+00

EU-152 5.000E+05

Source: 5

Location:: Room: 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Contamination:: Nuclide Concentration

[dpm/m²]

EU-154 5.000E+05

Title : HPNS RESRAD-BUILD Child Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child Am to Pu_25Sep19_9pt3m2_risk.bld

Evaluation Time: 0.0000000E+00 years

Source: 6

Location:: Room: 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Contamination:: Nuclide Concentration

[dpm/m²]

H-3 5.000E+05

Source: 7

Location:: Room: 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Contamination:: Nuclide Concentration

[dpm/m²]

PU-239 9.990E+03

U-235 0.000E+00

PA-231 0.000E+00

AC-227 0.000E+00

Title : HPNS RESRAD-BUILD Child Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child Am to Pu_25Sep19_9pt3m2_risk.bld

Evaluation Time: 0.0000000E+00 years

Source: 8

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Contamination:: Nuclide Concentration

[dpm/m²]

PO-210 9.990E+03

RA-226 9.990E+03

PB-210 9.990E+03

Source: 9

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Contamination:: Nuclide Concentration

[dpm/m²]

SR-90 9.990E+04

Source: 10

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Contamination:: Nuclide Concentration

[dpm/m²]

Title : HPNS RESRAD-BUILD Child Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child Am to Pu_25Sep19_9pt3m2_risk.bld

Evaluation Time: 0.0000000E+00 years

TH-232 3.640E+03

TH-228 3.640E+03

RA-228 3.640E+03

Title : HPNS RESRAD-BUILD Child Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child Am to Pu_25Sep19_9pt3m2_risk.bld

Evaluation Time: 0.0000000E+00 years

```
=====
=====
==== RESRAD-BUILD Risk Tables ===
=====
=====
```

Source Contributions to Receptor Risks

[Risk]

Source	Source	Source	Source	Source	Source	Source	Source	Total			
1	2	3	4	5	6	7	8	9	10		
Receptor 1	1.91E-07	2.38E-05	7.53E-06	1.40E-05	1.40E-05	5.66E-10	2.18E-07	1.38E-06	9.72E-08	6.73E-07	6.18E-05
Total	1.91E-07	2.38E-05	7.53E-06	1.40E-05	1.40E-05	5.66E-10	2.18E-07	1.38E-06	9.72E-08	6.73E-07	6.18E-05

Title : HPNS RESRAD-BUILD Child Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child Am to Pu_25Sep19_9pt3m2_risk.bld

Evaluation Time: 0.0000000E+00 years

Pathway Detail of Risks

=====

{Risk}

Source: 1

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 1.00E-08 1.31E-11 9.95E-14 1.69E-07 0.00E+00 1.25E-08

Total 1.00E-08 1.31E-11 9.95E-14 1.69E-07 0.00E+00 1.25E-08

Source: 2

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 2.37E-05 2.52E-08 5.32E-10 6.17E-09 0.00E+00 6.61E-08

Total 2.37E-05 2.52E-08 5.32E-10 6.17E-09 0.00E+00 6.61E-08

Source: 3

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 7.40E-06 9.31E-09 1.77E-10 3.24E-09 0.00E+00 1.13E-07

Total 7.40E-06 9.31E-09 1.77E-10 3.24E-09 0.00E+00 1.13E-07

Source: 4

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 1.39E-05 1.67E-08 3.28E-10 2.18E-08 0.00E+00 3.71E-08

Total 1.39E-05 1.67E-08 3.28E-10 2.18E-08 0.00E+00 3.71E-08

Source: 5

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 1.39E-05 1.60E-08 3.19E-10 2.46E-08 0.00E+00 5.82E-08

Total 1.39E-05 1.60E-08 3.19E-10 2.46E-08 0.00E+00 5.82E-08

Source: 6

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 0.00E+00 0.00E+00 0.00E+00 7.03E-11 0.00E+00 4.96E-10

Total 0.00E+00 0.00E+00 0.00E+00 7.03E-11 0.00E+00 4.96E-10

Source: 7

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 4.34E-10 5.69E-13 5.58E-16 2.02E-07 0.00E+00 1.60E-08

Total 4.34E-10 5.69E-13 5.58E-16 2.02E-07 0.00E+00 1.60E-08

Title : HPNS RESRAD-BUILD Child Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child Am to Pu_25Sep19_9pt3m2_risk.bld

Evaluation Time: 0.0000000E+00 years

Source: 8

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 5.06E-07 6.38E-10 1.30E-11 8.93E-08 6.42E-07 1.46E-07

Total 5.06E-07 6.38E-10 1.30E-11 8.93E-08 6.42E-07 1.46E-07

Source: 9

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 1.60E-08 2.01E-11 2.73E-13 6.15E-09 0.00E+00 7.51E-08

Total 1.60E-08 2.01E-11 2.73E-13 6.15E-09 0.00E+00 7.51E-08

Source: 10

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 2.46E-07 2.25E-10 4.85E-12 3.03E-07 6.90E-08 5.55E-08

Total 2.46E-07 2.25E-10 4.85E-12 3.03E-07 6.90E-08 5.55E-08

Title : HPNS RESRAD-BUILD Child Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child Am to Pu_25Sep19_9pt3m2_risk.bld

Evaluation Time: 0.0000000E+00 years

Nuclide Detail of Risks

=====

[Risk]

Source: 1

Nuclide Receptor Total

1		
AM-241	1.91E-07	1.91E-07
NP-237	1.77E-13	1.77E-13
U-233	6.75E-19	6.75E-19
TH-229	1.83E-21	1.83E-21

Source: 2

Nuclide Receptor Total

1		
CO-60	2.38E-05	2.38E-05

Source: 3

Nuclide Receptor Total

1		
CS-137	7.53E-06	7.53E-06

Source: 4

Nuclide Receptor Total

1		
GD-152	5.11E-20	5.11E-20
EU-152	1.40E-05	1.40E-05

Title : HPNS RESRAD-BUILD Child Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child Am to Pu_25Sep19_9pt3m2_risk.bld

Evaluation Time: 0.0000000E+00 years

Source: 5

Nuclide Receptor Total

1

EU-154 1.40E-05 1.40E-05

Source: 6

Nuclide Receptor Total

1

H-3 5.66E-10 5.66E-10

Source: 7

Nuclide Receptor Total

1

PU-239 2.18E-07 2.18E-07

U-235 3.50E-16 3.50E-16

PA-231 3.88E-20 3.88E-20

AC-227 7.85E-21 7.85E-21

Source: 8

Nuclide Receptor Total

1

PO-210 2.68E-08 2.68E-08

RA-226 1.23E-06 1.23E-06

PB-210 1.06E-08 1.06E-08

PB-210 1.12E-07 1.12E-07

Title : HPNS RESRAD-BUILD Child Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child Am to Pu_25Sep19_9pt3m2_risk.bld

Evaluation Time: 0.0000000E+00 years

Source: 9

Nuclide Receptor Total

1

SR-90 9.72E-08 9.72E-08

Source: 10

Nuclide Receptor Total

1

TH-232 1.01E-07 1.01E-07

TH-228 5.73E-08 5.73E-08

RA-228 4.26E-08 4.26E-08

TH-228 1.74E-07 1.74E-07

TH-228 1.93E-07 1.93E-07

RA-228 1.06E-07 1.06E-07

Title : HPNS RESRAD-BUILD Child Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child Am to Pu_25Sep19_9pt3m2_risk.bld

Evaluation Time: 6.0000000 years

```
=====
=====
==== Assessment for Time: 2 ===
==== Time =6.00E+00 yr ===
=====
```

```
===== Source Information =====
```

Source: 1

Location:: Room: 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 1.613E-01

Time to Remove: 9.490E+03 [day]

Contamination:: Nuclide Concentration

[dpm/m²]

AM-241 9.437E+03

NP-237 1.843E-02

U-233 2.414E-07

TH-229 4.562E-11

Source: 2

Location:: Room: 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 1.613E-01

Time to Remove: 9.490E+03 [day]

Contamination:: Nuclide Concentration

[dpm/m²]

CO-60 2.166E+05

Title : HPNS RESRAD-BUILD Child Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child Am to Pu_25Sep19_9pt3m2_risk.bld

Evaluation Time: 6.0000000 years

Source: 3

Location:: Room: 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 1.613E-01

Time to Remove: 9.490E+03 [day]

Contamination:: Nuclide Concentration

[dpm/m²]

CS-137 4.152E+05

Source: 4

Location:: Room: 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 1.613E-01

Time to Remove: 9.490E+03 [day]

Contamination:: Nuclide Concentration

[dpm/m²]

GD-152 1.577E-08

EU-152 3.488E+05

Source: 5

Location:: Room: 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 1.613E-01

Time to Remove: 9.490E+03 [day]

Contamination:: Nuclide Concentration

[dpm/m²]

EU-154 2.973E+05

Title : HPNS RESRAD-BUILD Child Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child Am to Pu_25Sep19_9pt3m2_risk.bld

Evaluation Time: 6.0000000 years

Source: 6

Location:: Room: 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 1.613E-01

Time to Remove: 9.490E+03 [day]

Contamination:: Nuclide Concentration

[dpm/m²]

H-3 3.410E+05

Source: 7

Location:: Room: 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 1.613E-01

Time to Remove: 9.490E+03 [day]

Contamination:: Nuclide Concentration

[dpm/m²]

PU-239 9.527E+03

U-235 5.629E-05

PA-231 3.568E-09

AC-227 2.165E-10

Title : HPNS RESRAD-BUILD Child Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child Am to Pu_25Sep19_9pt3m2_risk.bld

Evaluation Time: 6.0000000 years

Source: 8

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 1.613E-01

Time to Remove: 9.490E+03 [day]

Contamination:: Nuclide Concentration

[dpm/m²]

PO-210 1.634E-01

RA-226 9.504E+03

PB-210 9.526E+03

Source: 9

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 1.613E-01

Time to Remove: 9.490E+03 [day]

Contamination:: Nuclide Concentration

[dpm/m²]

SR-90 8.260E+04

Source: 10

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 1.613E-01

Time to Remove: 9.490E+03 [day]

Contamination:: Nuclide Concentration

[dpm/m²]

Title : HPNS RESRAD-BUILD Child Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child Am to Pu_25Sep19_9pt3m2_risk.bld

Evaluation Time: 6.0000000 years

TH-232 3.472E+03

TH-228 3.472E+03

RA-228 3.472E+03

Title : HPNS RESRAD-BUILD Child Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child Am to Pu_25Sep19_9pt3m2_risk.bld

Evaluation Time: 6.0000000 years

```
=====
=====
==== RESRAD-BUILD Risk Tables ====
=====
=====
```

Source Contributions to Receptor Risks

[Risk]

Source	Source	Source	Source	Source	Source	Source	Source	Total			
1	2	3	4	5	6	7	8	9	10		
Receptor 1	1.89E-07	1.03E-05	6.25E-06	9.74E-06	8.32E-06	4.05E-10	2.18E-07	1.30E-06	8.36E-08	6.58E-07	3.71E-05
Total											1.89E-07 1.03E-05 6.25E-06 9.74E-06 8.32E-06 4.05E-10 2.18E-07 1.30E-06 8.36E-08 6.58E-07 3.71E-05

Title : HPNS RESRAD-BUILD Child Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child Am to Pu_25Sep19_9pt3m2_risk.bld

Evaluation Time: 6.0000000 years

Pathway Detail of Risks

=====

{Risk}

Source: 1

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 9.45E-09 1.29E-11 9.85E-14 1.67E-07 0.00E+00 1.24E-08

Total 9.45E-09 1.29E-11 9.85E-14 1.67E-07 0.00E+00 1.24E-08

Source: 2

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 1.03E-05 1.15E-08 2.42E-10 2.80E-09 0.00E+00 3.00E-08

Total 1.03E-05 1.15E-08 2.42E-10 2.80E-09 0.00E+00 3.00E-08

Source: 3

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 6.14E-06 8.11E-09 1.54E-10 2.82E-09 0.00E+00 9.85E-08

Total 6.14E-06 8.11E-09 1.54E-10 2.82E-09 0.00E+00 9.85E-08

Source: 4

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 9.69E-06 1.22E-08 2.40E-10 1.59E-08 0.00E+00 2.72E-08

Total 9.69E-06 1.22E-08 2.40E-10 1.59E-08 0.00E+00 2.72E-08

Source: 5

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 8.26E-06 9.97E-09 1.99E-10 1.53E-08 0.00E+00 3.63E-08

Total 8.26E-06 9.97E-09 1.99E-10 1.53E-08 0.00E+00 3.63E-08

Source: 6

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 0.00E+00 0.00E+00 0.00E+00 5.03E-11 0.00E+00 3.55E-10

Total 0.00E+00 0.00E+00 0.00E+00 5.03E-11 0.00E+00 3.55E-10

Source: 7

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 4.14E-10 5.69E-13 5.57E-16 2.02E-07 0.00E+00 1.60E-08

Total 4.14E-10 5.69E-13 5.57E-16 2.02E-07 0.00E+00 1.60E-08

Title : HPNS RESRAD-BUILD Child Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child Am to Pu_25Sep19_9pt3m2_risk.bld

Evaluation Time: 6.0000000 years

Source: 8

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 4.58E-07 6.29E-10 1.30E-11 8.75E-08 6.10E-07 1.45E-07

Total 4.58E-07 6.29E-10 1.30E-11 8.75E-08 6.10E-07 1.45E-07

Source: 9

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 1.32E-08 1.74E-11 2.37E-13 5.34E-09 0.00E+00 6.51E-08

Total 1.32E-08 1.74E-11 2.37E-13 5.34E-09 0.00E+00 6.51E-08

Source: 10

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 2.34E-07 2.25E-10 4.85E-12 3.03E-07 6.58E-08 5.55E-08

Total 2.34E-07 2.25E-10 4.85E-12 3.03E-07 6.58E-08 5.55E-08

Title : HPNS RESRAD-BUILD Child Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child Am to Pu_25Sep19_9pt3m2_risk.bld

Evaluation Time: 6.0000000 years

Nuclide Detail of Risks

=====

[Risk]

Source: 1

Nuclide Receptor Total

1		
AM-241	1.89E-07	1.89E-07
NP-237	5.21E-13	5.21E-13
U-233	4.71E-18	4.71E-18
TH-229	2.73E-20	2.73E-20

Source: 2

Nuclide Receptor Total

1		
CO-60	1.03E-05	1.03E-05

Source: 3

Nuclide Receptor Total

1		
CS-137	6.25E-06	6.25E-06

Source: 4

Nuclide Receptor Total

1		
GD-152	1.35E-19	1.35E-19
EU-152	9.74E-06	9.74E-06

Title : HPNS RESRAD-BUILD Child Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child Am to Pu_25Sep19_9pt3m2_risk.bld

Evaluation Time: 6.0000000 years

Source: 5

Nuclide Receptor Total

1

EU-154 8.32E-06 8.32E-06

Source: 6

Nuclide Receptor Total

1

H-3 4.05E-10 4.05E-10

Source: 7

Nuclide Receptor Total

1

PU-239 2.18E-07 2.18E-07

U-235 1.03E-15 1.03E-15

PA-231 2.71E-19 2.71E-19

AC-227 1.13E-19 1.13E-19

Source: 8

Nuclide Receptor Total

1

PO-210 4.41E-13 4.41E-13

RA-226 1.18E-06 1.18E-06

PB-210 2.96E-08 2.96E-08

PB-210 9.28E-08 9.28E-08

Title : HPNS RESRAD-BUILD Child Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child Am to Pu_25Sep19_9pt3m2_risk.bld

Evaluation Time: 6.0000000 years

Source: 9

Nuclide Receptor Total

1

SR-90 8.36E-08 8.36E-08

Source: 10

Nuclide Receptor Total

1

TH-232 1.01E-07 1.01E-07

TH-228 2.09E-07 2.09E-07

RA-228 9.42E-08 9.42E-08

TH-228 1.93E-08 1.93E-08

TH-228 1.86E-07 1.86E-07

RA-228 4.99E-08 4.99E-08

Title : HPNS RESRAD-BUILD Child Resident Dose

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child U_25Sep19_9pt3m2_dose.bld

```
=====
=====
===
    ===
    === RESRAD-BUILD Table of Contents ===
    ===
=====
```

RESRAD-BUILD Input Parameters..... 2

Building Information..... 3

Source Information..... 4

For time = 0.00E+00 yr

Time Specific Parameters..... 5

Receptor-Source Dose Summary..... 6

Dose by Pathway Detail..... 7

Dose by Nuclide Detail..... 8

Full Summary..... 9

Title : HPNS RESRAD-BUILD Child Resident Dose

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child U_25Sep19_9pt3m2_dose.bld

```
=====
=====
==== RESRAD-BUILD Input Parameters ===
=====
=====
```

Number of Sources : 1

Number of Receptors: 1

Total Time : 3.650000E+02 days

Fraction Inside : 9.600000E-01

```
===== Receptor Information =====
```

Receptor	Room	x	y	z	FracTime	Inhalation	Ingestion(Dust)
		[m]	[m]	[m]	[m ³ /day]	[m ² /hr]	
1	1	1.500	1.500	1.000	1.000	1.00E+01	2.00E-04

```
==== Receptor-Source Shielding Relationship ===
```

Receptor	Source	Density	Thickness	Material
		[g/cm ³]	[cm]	
1	1	2.40E+00	0.00E+00	Concrete

Title : HPNS RESRAD-BUILD Child Resident Dose

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child U_25Sep19_9pt3m2_dose.bld

===== Building Information =====

Building Air Exchange Rate: 4.50E-01 1/hr

Height[m] Air Exchanges [m3/hr]

Area [m2]

* *

* *

* <=Q01: 1.28E+01

H1: 3.050 * Room 1 * Q10: 1.28E+01

* LAMBDA: 4.50E-01 *

Area 9.300 * *

* *

Deposition velocity: 1.00E-02 [m/s] Resuspension Rate: 5.00E-07 [1/s]

Title : HPNS RESRAD-BUILD Child Resident Dose

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child U_25Sep19_9pt3m2_dose.bld

===== Source Information =====

Source: 1

Location:: Room: 1 x: 1.50 y: 1.50 z: 0.00[m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Contamination::

Nuclide Concentration Dose Conversion Factor (Library: HPNS Child)

Ingestion Inhalation Submersion

[dpm/m²] [mrem/dpm] [mrem/dpm] [mrem/yr/
(dpm/m³)]

U-235 4.880E+04 1.204E-04 5.541E-02 4.063E-04

PA-231 0.000E+00 4.775E-03 5.766E-01 9.049E-05

AC-227 0.000E+00 6.665E-03 3.029E+00 9.734E-04

Title : HPNS RESRAD-BUILD Child Resident Dose

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child U_25Sep19_9pt3m2_dose.bld

Evaluation Time: 0.0000000E+00 years

```
=====
=====
==== Assessment for Time: 1 ===
==== Time =0.00E+00 yr ===
=====
```

===== Source Information =====

Source: 1

Location:: Room: 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Contamination:: Nuclide Concentration

[dpm/m²]

U-235 4.880E+04

PA-231 0.000E+00

AC-227 0.000E+00

Title : HPNS RESRAD-BUILD Child Resident Dose

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child U_25Sep19_9pt3m2_dose.bld

Evaluation Time: 0.0000000E+00 years

```
=====
=====
===
      ===
      RESRAD-BUILD Dose Tables
      ===
=====
=====
```

Source Contributions to Receptor Doses

```
=====
[mrem]
```

Source Total

1

Receptor 1 6.75E-01 6.75E-01

Total 6.75E-01 6.75E-01

Title : HPNS RESRAD-BUILD Child Resident Dose

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child U_25Sep19_9pt3m2_dose.bld

Evaluation Time: 0.0000000E+00 years

Pathway Detail of Doses

=====

[mrem]

Source: 1

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 5.60E-02 7.20E-05 1.22E-06 6.06E-01 0.00E+00 1.27E-02

Total 5.60E-02 7.20E-05 1.22E-06 6.06E-01 0.00E+00 1.27E-02

Title : HPNS RESRAD-BUILD Child Resident Dose

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child U_25Sep19_9pt3m2_dose.bld

Evaluation Time: 0.0000000E+00 years

Nuclide Detail of Doses

=====

[mrem]

Source: 1

Nuclide Receptor Total

1

U-235 6.75E-01 6.75E-01

PA-231 7.21E-05 7.21E-05

AC-227 3.58E-06 3.58E-06

Title : HPNS RESRAD-BUILD Child Resident Dose

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child U_25Sep19_9pt3m2_dose.bld

Full Summary

```
=====
=====
===
    ===
    ===  RESRAD-BUILD Dose (Time) Tables  ===
    ===
=====
```

Receptor Dose Received for the Exposure Duration

```
=====
(rem)
```

Evaluation Time [yr]

0.00E+00

1 6.75E-01

Receptor Dose/Yr Averaged Over Exposure Duration

```
=====
(rem/yr)
```

Evaluation Time [yr]

0.00E+00

1 6.76E-01

Title : HPNS RESRAD-BUILD Child Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child U_25Sep19_9pt3m2_risk.bld

=====

=====
==
== RESRAD-BUILD Table of Contents ==
==
=====

=====

RESRAD-BUILD Input Parameters..... 2

Building Information..... 3

Source Information..... 4

For time = 0.00E+00 yr

Time Specific Parameters..... 5

Receptor-Source Risk Summary..... 6

Risk by Pathway Detail..... 7

Risk by Nuclide Detail..... 8

Title : HPNS RESRAD-BUILD Child Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child U_25Sep19_9pt3m2_risk.bld

```
=====
=====
==== RESRAD-BUILD Input Parameters ===
=====
=====
```

Number of Sources : 1

Number of Receptors: 1

Total Time : 2.190000E+03 days

Fraction Inside : 9.600000E-01

```
===== Receptor Information =====
```

Receptor	Room	x	y	z	FracTime	Inhalation	Ingestion(Dust)
		[m]	[m]	[m]	[m3/day]	[m2/hr]	
1	1	1.500	1.500	1.000	1.000	1.00E+01	2.00E-04

```
==== Receptor-Source Shielding Relationship ===
```

Receptor	Source	Density	Thickness	Material
		[g/cm3]	[cm]	
1	1	2.40E+00	0.00E+00	Concrete

Title : HPNS RESRAD-BUILD Child Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child U_25Sep19_9pt3m2_risk.bld

===== Building Information =====

Building Air Exchange Rate: 4.50E-01 1/hr

Height[m] Air Exchanges [m³/hr]

Area [m²]

* *

* *

* <=Q01: 1.28E+01

H1: 3.050 * Room 1 * Q10: 1.28E+01

* LAMBDA: 4.50E-01 *

Area 9.300 * *

* *

Deposition velocity: 1.00E-02 [m/s] Resuspension Rate: 5.00E-07 [1/s]

Title : HPNS RESRAD-BUILD Child Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child U_25Sep19_9pt3m2_risk.bld

===== Source Information =====

Source: 1

Location:: Room: 1 x: 1.50 y: 1.50 z: 0.00[m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Contamination::

Nuclide Concentration Slope Factor

Ingestion Inhalation

[dpm/m²] [Risk/dpm] [Risk/dpm]

U-235 4.880E+04 7.359E-11 4.550E-09

PA-231 0.000E+00 1.685E-10 2.050E-08

AC-227 0.000E+00 5.232E-10 9.399E-08

Title : HPNS RESRAD-BUILD Child Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child U_25Sep19_9pt3m2_risk.bld

Evaluation Time: 0.0000000E+00 years

```
=====
=====
==== Assessment for Time: 1 ===
==== Time =0.00E+00 yr ===
=====
```

===== Source Information =====

Source: 1

Location:: Room: 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.490E+03 [day]

Contamination:: Nuclide Concentration

[dpm/m²]

U-235 4.880E+04

PA-231 0.000E+00

AC-227 0.000E+00

Title : HPNS RESRAD-BUILD Child Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child U_25Sep19_9pt3m2_risk.bld

Evaluation Time: 0.0000000E+00 years

```
=====
=====
==== RESRAD-BUILD Risk Tables ===
=====
=====
```

Source Contributions to Receptor Risks

[Risk]

Source	Total
1	
Receptor 1	5.82E-07 5.82E-07
Total	5.82E-07 5.82E-07

Title : HPNS RESRAD-BUILD Child Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child U_25Sep19_9pt3m2_risk.bld

Evaluation Time: 0.0000000E+00 years

Pathway Detail of Risks

=====

[Risk]

Source: 1

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 2.36E-07 3.09E-10 5.24E-12 2.99E-07 0.00E+00 4.64E-08

Total 2.36E-07 3.09E-10 5.24E-12 2.99E-07 0.00E+00 4.64E-08

Title : HPNS RESRAD-BUILD Child Resident Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD Child U_25Sep19_9pt3m2_risk.bld

Evaluation Time: 0.0000000E+00 years

Nuclide Detail of Risks

=====

[Risk]

Source: 1

Nuclide Receptor Total

1

U-235 5.82E-07 5.82E-07

PA-231 9.63E-11 9.63E-11

AC-227 2.58E-11 2.58E-11

Title : HPNS RESRAD-BUILD Indoor Worker

Input File : C:\Users\Craig\Desktop\HPNS BUILD IW Am to Pu_25Sep19_9pt3m2_dose.bld

=====

=====
==
== RESRAD-BUILD Table of Contents ==
==
=====

RESRAD-BUILD Input Parameters..... 2

Building Information..... 3

Source Information..... 4

For time = 0.00E+00 yr

Time Specific Parameters..... 9

Receptor-Source Dose Summary..... 14

Dose by Pathway Detail..... 15

Dose by Nuclide Detail..... 17

Full Summary..... 20

Title : HPNS RESRAD-BUILD Indoor Worker

Input File : C:\Users\Craig\Desktop\HPNS BUILD IW Am to Pu_25Sep19_9pt3m2_dose.bld

```
=====
=====
==== RESRAD-BUILD Input Parameters ===
=====
=====
```

Number of Sources : 10

Number of Receptors: 1

Total Time : 3.650000E+02 days

Fraction Inside : 6.800000E-01

```
===== Receptor Information =====
```

Receptor	Room	x	y	z	FracTime	Inhalation	Ingestion(Dust)
		[m]	[m]	[m]	[m ³ /day]	[m ² /hr]	
1	1	1.500	1.500	1.000	0.330	6.00E+01	1.00E-04

```
==== Receptor-Source Shielding Relationship ===
```

Receptor Source Density Thickness Material

[g/cm³] [cm]

1	1	2.40E+00	0.00E+00	Concrete
1	2	2.40E+00	0.00E+00	Concrete
1	3	2.40E+00	0.00E+00	Concrete
1	4	2.40E+00	0.00E+00	Concrete
1	5	2.40E+00	0.00E+00	Concrete
1	6	2.40E+00	0.00E+00	Concrete
1	7	2.40E+00	0.00E+00	Concrete
1	8	2.40E+00	0.00E+00	Concrete
1	9	2.40E+00	0.00E+00	Concrete
1	10	2.40E+00	0.00E+00	Concrete

Title : HPNS RESRAD-BUILD Indoor Worker

Input File : C:\Users\Craig\Desktop\HPNS BUILD IW Am to Pu_25Sep19_9pt3m2_dose.bld

===== Building Information =====

Building Air Exchange Rate: 1.50E+00 1/hr

Height[m] Air Exchanges [m³/hr]

Area [m²]

* *

* *

* <=Q01: 4.25E+01

H1: 3.050 * Room 1 * Q10: 4.25E+01

* LAMBDA: 1.50E+00 *

Area 9.300 * *

* *

Deposition velocity: 1.00E-02 [m/s] Resuspension Rate: 5.00E-07 [1/s]

Title : HPNS RESRAD-BUILD Indoor Worker

Input File : C:\Users\Craig\Desktop\HPNS BUILD IW Am to Pu_25Sep19_9pt3m2_dose.bld

===== Source Information =====

Source: 1

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00[m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.125E+03 [day]

Contamination::

Nuclide Concentration Dose Conversion Factor (Library: HPNS Adult)

Ingestion Inhalation Submersion

[pCi/m²] [mrem/pCi] [mrem/pCi] [mrem/yr/
(pCi/m³)]

AM-241 4.500E+03 3.640E-03 4.440E-01 9.554E-05

NP-237 0.000E+00 4.444E-03 5.400E-01 1.212E-03

U-233 0.000E+00 2.890E-04 1.350E-01 1.904E-06

TH-229 0.000E+00 4.027E-03 2.169E+00 1.741E-03

Source: 2

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00[m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.125E+03 [day]

Contamination::

Nuclide Concentration Dose Conversion Factor (Library: HPNS Adult)

Ingestion Inhalation Submersion

[pCi/m²] [mrem/pCi] [mrem/pCi] [mrem/yr/
(pCi/m³)]

CO-60 2.250E+05 2.690E-05 2.190E-04 1.472E-02

Title : HPNS RESRAD-BUILD Indoor Worker

Input File : C:\Users\Craig\Desktop\HPNS BUILD IW Am to Pu_25Sep19_9pt3m2_dose.bld

Source: 3

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00[m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.125E+03 [day]

Contamination::

Nuclide Concentration Dose Conversion Factor (Library: HPNS Adult)

Ingestion Inhalation Submersion

[pCi/m2] [mrem/pCi] [mrem/pCi] [mrem/yr/

(pCi/m3)]

CS-137 2.250E+05 5.000E-05 3.190E-05 3.183E-03

Source: 4

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00[m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.125E+03 [day]

Contamination::

Nuclide Concentration Dose Conversion Factor (Library: HPNS Adult)

Ingestion Inhalation Submersion

[pCi/m2] [mrem/pCi] [mrem/pCi] [mrem/yr/

(pCi/m3)]

GD-152 0.000E+00 1.610E-04 2.430E-01 0.000E+00

EU-152 2.250E+05 6.480E-06 2.210E-04 6.599E-03

Title : HPNS RESRAD-BUILD Indoor Worker

Input File : C:\Users\Craig\Desktop\HPNS BUILD IW Am to Pu_25Sep19_9pt3m2_dose.bld

Source: 5

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00[m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.125E+03 [day]

Contamination::

Nuclide Concentration Dose Conversion Factor (Library: HPNS Adult)

Ingestion Inhalation Submersion

[pCi/m²] [mrem/pCi] [mrem/pCi] [mrem/yr/(pCi/m³)]

EU-154 2.250E+05 9.550E-06 2.860E-04 7.172E-03

Source: 6

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00[m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.125E+03 [day]

Contamination::

Nuclide Concentration Dose Conversion Factor (Library: HPNS Adult)

Ingestion Inhalation Submersion

[pCi/m²] [mrem/pCi] [mrem/pCi] [mrem/yr/(pCi/m³)]

H-3 2.250E+05 6.400E-08 6.400E-08 3.866E-08

Title : HPNS RESRAD-BUILD Indoor Worker

Input File : C:\Users\Craig\Desktop\HPNS BUILD IW Am to Pu_25Sep19_9pt3m2_dose.bld

Source: 7

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00[m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.125E+03 [day]

Contamination::

Nuclide Concentration Dose Conversion Factor (Library: HPNS Adult)

	Ingestion	Inhalation	Submersion
	[pCi/m ²]	[mrem/pCi]	[mrem/pCi]
		[mrem/yr]	(pCi/m ³)
PU-239	4.500E+03	3.540E-03	4.290E-01
U-235	0.000E+00	2.673E-04	1.230E-01
PA-231	0.000E+00	1.060E-02	1.280E+00
AC-227	0.000E+00	1.480E-02	6.724E+00
			2.161E-03

Source: 8

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00[m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.125E+03 [day]

Radon Release Fraction: 4.000E-01

Contamination::

Nuclide Concentration Dose Conversion Factor (Library: HPNS Adult)

	Ingestion	Inhalation	Submersion
	[pCi/m ²]	[mrem/pCi]	[mrem/pCi]
		[mrem/yr]	(pCi/m ³)
PO-210	4.500E+03	1.900E-03	9.400E-03
RA-226	4.500E+03	1.321E-03	8.594E-03
PB-210	4.500E+03	5.376E-03	1.380E-02
			1.043E-05

Title : HPNS RESRAD-BUILD Indoor Worker

Input File : C:\Users\Craig\Desktop\HPNS BUILD IW Am to Pu_25Sep19_9pt3m2_dose.bld

Source: 9

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00[m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.125E+03 [day]

Contamination::

Nuclide Concentration Dose Conversion Factor (Library: HPNS Adult)

Ingestion Inhalation Submersion

[pCi/m2] [mrem/pCi] [mrem/pCi] [mrem/yr/

(pCi/m3)]

SR-90 4.500E+04 1.528E-04 1.308E-03 2.307E-05

Source: 10

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00[m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.125E+03 [day]

Radon Release Fraction: 2.000E-02

Contamination::

Nuclide Concentration Dose Conversion Factor (Library: HPNS Adult)

Ingestion Inhalation Submersion

[pCi/m2] [mrem/pCi] [mrem/pCi] [mrem/yr/

(pCi/m3)]

TH-232 1.640E+03 2.730E-03 1.640E+00 1.018E-06

TH-228 1.640E+03 8.086E-04 3.454E-01 9.378E-03

RA-228 1.640E+03 1.442E-03 5.078E-03 5.583E-03

Title : HPNS RESRAD-BUILD Indoor Worker

Input File : C:\Users\Craig\Desktop\HPNS BUILD IW Am to Pu_25Sep19_9pt3m2_dose.bld

Evaluation Time: 0.0000000E+00 years

```
=====
=====
==== Assessment for Time: 1 ===
==== Time =0.00E+00 yr ===
=====
```

```
===== Source Information =====
```

Source: 1

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.125E+03 [day]

Contamination:: Nuclide Concentration

[pCi/m²]

AM-241 4.500E+03

NP-237 0.000E+00

U-233 0.000E+00

TH-229 0.000E+00

Source: 2

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.125E+03 [day]

Contamination:: Nuclide Concentration

[pCi/m²]

CO-60 2.250E+05

Title : HPNS RESRAD-BUILD Indoor Worker

Input File : C:\Users\Craig\Desktop\HPNS BUILD IW Am to Pu_25Sep19_9pt3m2_dose.bld

Evaluation Time: 0.0000000E+00 years

Source: 3

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.125E+03 [day]

Contamination:: Nuclide Concentration

[pCi/m²]

CS-137 2.250E+05

Source: 4

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.125E+03 [day]

Contamination:: Nuclide Concentration

[pCi/m²]

GD-152 0.000E+00

EU-152 2.250E+05

Source: 5

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.125E+03 [day]

Contamination:: Nuclide Concentration

[pCi/m²]

EU-154 2.250E+05

Title : HPNS RESRAD-BUILD Indoor Worker

Input File : C:\Users\Craig\Desktop\HPNS BUILD IW Am to Pu_25Sep19_9pt3m2_dose.bld

Evaluation Time: 0.0000000E+00 years

Source: 6

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.125E+03 [day]

Contamination:: Nuclide Concentration

[pCi/m²]

H-3 2.250E+05

Source: 7

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.125E+03 [day]

Contamination:: Nuclide Concentration

[pCi/m²]

PU-239 4.500E+03

U-235 0.000E+00

PA-231 0.000E+00

AC-227 0.000E+00

Title : HPNS RESRAD-BUILD Indoor Worker

Input File : C:\Users\Craig\Desktop\HPNS BUILD IW Am to Pu_25Sep19_9pt3m2_dose.bld

Evaluation Time: 0.0000000E+00 years

Source: 8

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.125E+03 [day]

Contamination:: Nuclide Concentration

[pCi/m²]

PO-210 4.500E+03

RA-226 4.500E+03

PB-210 4.500E+03

Source: 9

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.125E+03 [day]

Contamination:: Nuclide Concentration

[pCi/m²]

SR-90 4.500E+04

Source: 10

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.125E+03 [day]

Contamination:: Nuclide Concentration

[pCi/m²]

Title : HPNS RESRAD-BUILD Indoor Worker

Input File : C:\Users\Craig\Desktop\HPNS BUILD IW Am to Pu_25Sep19_9pt3m2_dose.bld

Evaluation Time: 0.0000000E+00 years

TH-232 1.640E+03

TH-228 1.640E+03

RA-228 1.640E+03

Title : HPNS RESRAD-BUILD Indoor Worker

Input File : C:\Users\Craig\Desktop\HPNS BUILD IW Am to Pu_25Sep19_9pt3m2_dose.bld

Evaluation Time: 0.0000000E+00 years

```
=====
=====
===
      RESRAD-BUILD Dose Tables
===
=====
```

Source Contributions to Receptor Doses

===== [mrem]

Source	Source	Source	Source	Source	Source	Source	Source	Total													
1	2	3	4	5	6	7	8	9	10												
Receptor 1	1.98E-01	1.66E+00	4.19E-01	8.32E-01	8.81E-01	3.07E-06	1.91E-01	5.70E-02	7.01E-03	3.31E-01	4.58E+00										
Total											1.98E-01	1.66E+00	4.19E-01	8.32E-01	8.81E-01	3.07E-06	1.91E-01	5.70E-02	7.01E-03	3.31E-01	4.58E+00

Title : HPNS RESRAD-BUILD Indoor Worker

Input File : C:\Users\Craig\Desktop\HPNS BUILD IW Am to Pu_25Sep19_9pt3m2_dose.bld

Evaluation Time: 0.0000000E+00 years

Pathway Detail of Doses

=====

[mrem]

Source: 1

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 6.32E-04 2.53E-07 1.93E-09 1.96E-01 0.00E+00 1.28E-03

Total 6.32E-04 2.53E-07 1.93E-09 1.96E-01 0.00E+00 1.28E-03

Source: 2

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 1.66E+00 6.19E-04 1.31E-05 4.25E-03 0.00E+00 4.15E-04

Total 1.66E+00 6.19E-04 1.31E-05 4.25E-03 0.00E+00 4.15E-04

Source: 3

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 4.17E-01 1.65E-04 3.14E-06 6.88E-04 0.00E+00 8.62E-04

Total 4.17E-01 1.65E-04 3.14E-06 6.88E-04 0.00E+00 8.62E-04

Source: 4

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 8.27E-01 3.22E-04 6.33E-06 4.63E-03 0.00E+00 1.08E-04

Total 8.27E-01 3.22E-04 6.33E-06 4.63E-03 0.00E+00 1.08E-04

Source: 5

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 8.75E-01 3.36E-04 6.70E-06 5.84E-03 0.00E+00 1.55E-04

Total 8.75E-01 3.36E-04 6.70E-06 5.84E-03 0.00E+00 1.55E-04

Source: 6

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 0.00E+00 0.00E+00 3.69E-11 2.01E-06 0.00E+00 1.07E-06

Total 0.00E+00 0.00E+00 3.69E-11 2.01E-06 0.00E+00 1.07E-06

Source: 7

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 2.54E-05 1.02E-08 1.00E-11 1.89E-01 0.00E+00 1.25E-03

Total 2.54E-05 1.02E-08 1.00E-11 1.89E-01 0.00E+00 1.25E-03

Title : HPNS RESRAD-BUILD Indoor Worker

Input File : C:\Users\Craig\Desktop\HPNS BUILD IW Am to Pu_25Sep19_9pt3m2_dose.bld

Evaluation Time: 0.0000000E+00 years

Source: 8

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 3.16E-02 1.14E-05 2.09E-07 1.08E-02 1.22E-02 2.48E-03

Total 3.16E-02 1.14E-05 2.09E-07 1.08E-02 1.22E-02 2.48E-03

Source: 9

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 8.46E-04 3.35E-07 4.55E-09 5.64E-03 0.00E+00 5.26E-04

Total 8.46E-04 3.35E-07 4.55E-09 5.64E-03 0.00E+00 5.26E-04

Source: 10

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 1.28E-02 4.50E-06 9.74E-08 3.12E-01 6.05E-03 6.12E-04

Total 1.28E-02 4.50E-06 9.74E-08 3.12E-01 6.05E-03 6.12E-04

Title : HPNS RESRAD-BUILD Indoor Worker

Input File : C:\Users\Craig\Desktop\HPNS BUILD IW Am to Pu_25Sep19_9pt3m2_dose.bld

Evaluation Time: 0.0000000E+00 years

Nuclide Detail of Doses

=====

[mrem]

Source: 1

Nuclide Receptor Total

1		
AM-241	1.98E-01	1.98E-01
NP-237	3.94E-08	3.94E-08
U-233	1.40E-14	1.40E-14
TH-229	5.35E-18	5.35E-18

Source: 2

Nuclide Receptor Total

1		
CO-60	1.66E+00	1.66E+00

Source: 3

Nuclide Receptor Total

1		
CS-137	4.19E-01	4.19E-01

Source: 4

Nuclide Receptor Total

1		
GD-152	1.69E-14	1.69E-14
EU-152	8.32E-01	8.32E-01

Title : HPNS RESRAD-BUILD Indoor Worker

Input File : C:\Users\Craig\Desktop\HPNS BUILD IW Am to Pu_25Sep19_9pt3m2_dose.bld

Evaluation Time: 0.0000000E+00 years

Source: 5

Nuclide Receptor Total

1

EU-154 8.81E-01 8.81E-01

Source: 6

Nuclide Receptor Total

1

H-3 3.07E-06 3.07E-06

Source: 7

Nuclide Receptor Total

1

PU-239 1.91E-01 1.91E-01

U-235 2.81E-11 2.81E-11

PA-231 1.97E-15 1.97E-15

AC-227 8.02E-17 8.02E-17

Source: 8

Nuclide Receptor Total

1

PO-210 7.48E-03 7.48E-03

RA-226 4.16E-02 4.16E-02

PB-210 1.22E-04 1.22E-04

PB-210 7.85E-03 7.85E-03

Title : HPNS RESRAD-BUILD Indoor Worker

Input File : C:\Users\Craig\Desktop\HPNS BUILD IW Am to Pu_25Sep19_9pt3m2_dose.bld

Evaluation Time: 0.0000000E+00 years

Source: 9

Nuclide Receptor Total

1

SR-90 7.01E-03 7.01E-03

Source: 10

Nuclide Receptor Total

1

TH-232 2.64E-01 2.64E-01

TH-228 3.94E-04 3.94E-04

RA-228 3.55E-04 3.55E-04

TH-228 5.12E-02 5.12E-02

TH-228 9.43E-03 9.43E-03

RA-228 5.79E-03 5.79E-03

Title : HPNS RESRAD-BUILD Indoor Worker

Input File : C:\Users\Craig\Desktop\HPNS BUILD IW Am to Pu_25Sep19_9pt3m2_dose.bld

Full Summary

```
=====
=====
===
    ===
    ===  RESRAD-BUILD Dose (Time) Tables  ===
    ===
=====
```

Receptor Dose Received for the Exposure Duration

```
=====
(rem)
```

Evaluation Time [yr]

0.00E+00

1 4.58E+00

Receptor Dose/Yr Averaged Over Exposure Duration

```
=====
(rem/yr)
```

Evaluation Time [yr]

0.00E+00

1 4.58E+00

Title : HPNS RESRAD-BUILD Indoor Worker

Input File : C:\Users\Craig\Desktop\HPNS BUILD IW Am to Pu_25Sep19_9pt3m2_risk.bld

=====

=====
==
== RESRAD-BUILD Table of Contents ==
==
=====

RESRAD-BUILD Input Parameters..... 2

Building Information..... 3

Source Information..... 4

For time = 0.00E+00 yr

Time Specific Parameters..... 9

Receptor-Source Risk Summary..... 14

Risk by Pathway Detail..... 15

Risk by Nuclide Detail..... 17

Title : HPNS RESRAD-BUILD Indoor Worker

Input File : C:\Users\Craig\Desktop\HPNS BUILD IW Am to Pu_25Sep19_9pt3m2_risk.bld

```
=====
=====
===
    ===
    === RESRAD-BUILD Input Parameters ===
    ===
=====
```

Number of Sources : 10

Number of Receptors: 1

Total Time : 9.125000E+03 days

Fraction Inside : 6.800000E-01

```
===== Receptor Information =====
```

Receptor	Room	x	y	z	FracTime	Inhalation	Ingestion(Dust)
		[m]	[m]	[m]	[m ³ /day]	[m ² /hr]	
1	1	1.500	1.500	1.000	0.330	6.00E+01	1.00E-04

```
== Receptor-Source Shielding Relationship ==
```

Receptor Source Density Thickness Material

[g/cm³] [cm]

1	1	2.40E+00	0.00E+00	Concrete
1	2	2.40E+00	0.00E+00	Concrete
1	3	2.40E+00	0.00E+00	Concrete
1	4	2.40E+00	0.00E+00	Concrete
1	5	2.40E+00	0.00E+00	Concrete
1	6	2.40E+00	0.00E+00	Concrete
1	7	2.40E+00	0.00E+00	Concrete
1	8	2.40E+00	0.00E+00	Concrete
1	9	2.40E+00	0.00E+00	Concrete
1	10	2.40E+00	0.00E+00	Concrete

Title : HPNS RESRAD-BUILD Indoor Worker

Input File : C:\Users\Craig\Desktop\HPNS BUILD IW Am to Pu_25Sep19_9pt3m2_risk.bld

===== Building Information =====

Building Air Exchange Rate: 1.50E+00 1/hr

Height[m] Air Exchanges [m³/hr]

Area [m²]

* *

* *

* <=Q01: 4.25E+01

H1: 3.050 * Room 1 * Q10: 4.25E+01

* LAMBDA: 1.50E+00 *

Area 9.300 * *

* *

Deposition velocity: 1.00E-02 [m/s] Resuspension Rate: 5.00E-07 [1/s]

Title : HPNS RESRAD-BUILD Indoor Worker

Input File : C:\Users\Craig\Desktop\HPNS BUILD IW Am to Pu_25Sep19_9pt3m2_risk.bld

===== Source Information =====

Source: 1

Location:: Room: 1 x: 1.50 y: 1.50 z: 0.00[m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.125E+03 [day]

Contamination::

Nuclide Concentration Slope Factor

Ingestion Inhalation

[pCi/m²] [Risk/pCi] [Risk/pCi]

AM-241 4.500E+03 2.170E-10 2.810E-08

NP-237 0.000E+00 1.619E-10 1.771E-08

U-233 0.000E+00 1.600E-10 1.160E-08

TH-229 0.000E+00 1.288E-09 2.247E-07

Source: 2

Location:: Room: 1 x: 1.50 y: 1.50 z: 0.00[m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.125E+03 [day]

Contamination::

Nuclide Concentration Slope Factor

Ingestion Inhalation

[pCi/m²] [Risk/pCi] [Risk/pCi]

CO-60 2.250E+05 4.030E-11 3.580E-11

Title : HPNS RESRAD-BUILD Indoor Worker

Input File : C:\Users\Craig\Desktop\HPNS BUILD IW Am to Pu_25Sep19_9pt3m2_risk.bld

Source: 3

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00[m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.125E+03 [day]

Contamination::

Nuclide Concentration Slope Factor

Ingestion Inhalation

[pCi/m²] [Risk/pCi] [Risk/pCi]

CS-137 2.250E+05 4.330E-11 1.190E-11

Source: 4

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00[m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.125E+03 [day]

Contamination::

Nuclide Concentration Slope Factor

Ingestion Inhalation

[pCi/m²] [Risk/pCi] [Risk/pCi]

GD-152 0.000E+00 6.290E-11 9.100E-09

EU-152 2.250E+05 1.620E-11 9.100E-11

Title : HPNS RESRAD-BUILD Indoor Worker

Input File : C:\Users\Craig\Desktop\HPNS BUILD IW Am to Pu_25Sep19_9pt3m2_risk.bld

Source: 5

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00[m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.125E+03 [day]

Contamination::

Nuclide Concentration Slope Factor

Ingestion Inhalation

[pCi/m²] [Risk/pCi] [Risk/pCi]

EU-154 2.250E+05 2.850E-11 1.150E-10

Source: 6

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00[m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.125E+03 [day]

Contamination::

Nuclide Concentration Slope Factor

Ingestion Inhalation

[pCi/m²] [Risk/pCi] [Risk/pCi]

H-3 2.250E+05 2.200E-13 1.990E-13

Title : HPNS RESRAD-BUILD Indoor Worker

Input File : C:\Users\Craig\Desktop\HPNS BUILD IW Am to Pu_25Sep19_9pt3m2_risk.bld

Source: 7

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00[m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.125E+03 [day]

Contamination::

Nuclide Concentration Slope Factor

	Ingestion	Inhalation
	[pCi/m2]	[Risk/pCi]
PU-239	4.500E+03	2.760E-10
U-235	0.000E+00	1.634E-10
PA-231	0.000E+00	3.740E-10
AC-227	0.000E+00	1.161E-09

Source: 8

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00[m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.125E+03 [day]

Radon Release Fraction: 4.000E-01

Contamination::

Nuclide Concentration Slope Factor

	Ingestion	Inhalation
	[pCi/m2]	[Risk/pCi]
PO-210	4.500E+03	7.960E-10
RA-226	4.500E+03	7.303E-10
PB-210	4.500E+03	1.865E-09

Title : HPNS RESRAD-BUILD Indoor Worker

Input File : C:\Users\Craig\Desktop\HPNS BUILD IW Am to Pu_25Sep19_9pt3m2_risk.bld

Source: 9

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00[m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.125E+03 [day]

Contamination::

Nuclide Concentration Slope Factor

Ingestion Inhalation

[pCi/m²] [Risk/pCi] [Risk/pCi]

SR-90 4.500E+04 1.443E-10 1.134E-10

Source: 10

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00[m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.125E+03 [day]

Radon Release Fraction: 2.000E-02

Contamination::

Nuclide Concentration Slope Factor

Ingestion Inhalation

[pCi/m²] [Risk/pCi] [Risk/pCi]

TH-232 1.640E+03 2.310E-10 4.330E-08

TH-228 1.640E+03 8.088E-10 1.426E-07

RA-228 1.640E+03 2.286E-09 5.229E-09

Title : HPNS RESRAD-BUILD Indoor Worker

Input File : C:\Users\Craig\Desktop\HPNS BUILD IW Am to Pu_25Sep19_9pt3m2_risk.bld

Evaluation Time: 0.0000000E+00 years

```
=====
=====
==== Assessment for Time: 1 ===
==== Time =0.00E+00 yr ===
=====
```

```
===== Source Information =====
```

Source: 1

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.125E+03 [day]

Contamination:: Nuclide Concentration

[pCi/m²]

AM-241 4.500E+03

NP-237 0.000E+00

U-233 0.000E+00

TH-229 0.000E+00

Source: 2

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.125E+03 [day]

Contamination:: Nuclide Concentration

[pCi/m²]

CO-60 2.250E+05

Title : HPNS RESRAD-BUILD Indoor Worker

Input File : C:\Users\Craig\Desktop\HPNS BUILD IW Am to Pu_25Sep19_9pt3m2_risk.bld

Evaluation Time: 0.0000000E+00 years

Source: 3

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.125E+03 [day]

Contamination:: Nuclide Concentration

[pCi/m²]

CS-137 2.250E+05

Source: 4

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.125E+03 [day]

Contamination:: Nuclide Concentration

[pCi/m²]

GD-152 0.000E+00

EU-152 2.250E+05

Source: 5

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.125E+03 [day]

Contamination:: Nuclide Concentration

[pCi/m²]

EU-154 2.250E+05

Title : HPNS RESRAD-BUILD Indoor Worker

Input File : C:\Users\Craig\Desktop\HPNS BUILD IW Am to Pu_25Sep19_9pt3m2_risk.bld

Evaluation Time: 0.0000000E+00 years

Source: 6

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.125E+03 [day]

Contamination:: Nuclide Concentration

[pCi/m²]

H-3 2.250E+05

Source: 7

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.125E+03 [day]

Contamination:: Nuclide Concentration

[pCi/m²]

PU-239 4.500E+03

U-235 0.000E+00

PA-231 0.000E+00

AC-227 0.000E+00

Title : HPNS RESRAD-BUILD Indoor Worker

Input File : C:\Users\Craig\Desktop\HPNS BUILD IW Am to Pu_25Sep19_9pt3m2_risk.bld

Evaluation Time: 0.0000000E+00 years

Source: 8

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.125E+03 [day]

Contamination:: Nuclide Concentration

[pCi/m²]

PO-210 4.500E+03

RA-226 4.500E+03

PB-210 4.500E+03

Source: 9

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.125E+03 [day]

Contamination:: Nuclide Concentration

[pCi/m²]

SR-90 4.500E+04

Source: 10

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.125E+03 [day]

Contamination:: Nuclide Concentration

[pCi/m²]

Title : HPNS RESRAD-BUILD Indoor Worker

Input File : C:\Users\Craig\Desktop\HPNS BUILD IW Am to Pu_25Sep19_9pt3m2_risk.bld

Evaluation Time: 0.0000000E+00 years

TH-232 1.640E+03

TH-228 1.640E+03

RA-228 1.640E+03

Title : HPNS RESRAD-BUILD Indoor Worker

Input File : C:\Users\Craig\Desktop\HPNS BUILD IW Am to Pu_25Sep19_9pt3m2_risk.bld

Evaluation Time: 0.0000000E+00 years

```
=====
=====
===
      RESRAD-BUILD Risk Tables
===
=====
=====
```

Source Contributions to Receptor Risks

[Risk]

Source	Source	Source	Source	Source	Source	Source	Source	Total			
1	2	3	4	5	6	7	8	9	10		
Receptor 1	3.08E-07	9.45E-06	5.47E-06	8.33E-06	7.09E-06	1.36E-10	3.63E-07	1.64E-06	3.02E-08	1.25E-06	3.39E-05
Total	3.08E-07	9.45E-06	5.47E-06	8.33E-06	7.09E-06	1.36E-10	3.63E-07	1.64E-06	3.02E-08	1.25E-06	3.39E-05

Title : HPNS RESRAD-BUILD Indoor Worker

Input File : C:\Users\Craig\Desktop\HPNS BUILD IW Am to Pu_25Sep19_9pt3m2_risk.bld

Evaluation Time: 0.0000000E+00 years

Pathway Detail of Risks

=====

{Risk}

Source: 1

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 8.85E-09 3.84E-12 2.92E-14 2.98E-07 0.00E+00 1.84E-09

Total 8.85E-09 3.84E-12 2.92E-14 2.98E-07 0.00E+00 1.84E-09

Source: 2

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 9.43E-06 3.69E-09 7.80E-11 5.42E-09 0.00E+00 4.84E-09

Total 9.43E-06 3.69E-09 7.80E-11 5.42E-09 0.00E+00 4.84E-09

Source: 3

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 5.45E-06 2.33E-09 4.43E-11 4.86E-09 0.00E+00 1.41E-08

Total 5.45E-06 2.33E-09 4.43E-11 4.86E-09 0.00E+00 1.41E-08

Source: 4

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 8.29E-06 3.46E-09 6.79E-11 2.71E-08 0.00E+00 3.85E-09

Total 8.29E-06 3.46E-09 6.79E-11 2.71E-08 0.00E+00 3.85E-09

Source: 5

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 7.05E-06 2.88E-09 5.74E-11 2.65E-08 0.00E+00 5.23E-09

Total 7.05E-06 2.88E-09 5.74E-11 2.65E-08 0.00E+00 5.23E-09

Source: 6

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 0.00E+00 0.00E+00 0.00E+00 8.56E-11 0.00E+00 5.03E-11

Total 0.00E+00 0.00E+00 0.00E+00 8.56E-11 0.00E+00 5.03E-11

Source: 7

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 3.90E-10 1.69E-13 1.66E-16 3.60E-07 0.00E+00 2.39E-09

Total 3.90E-10 1.69E-13 1.66E-16 3.60E-07 0.00E+00 2.39E-09

Title : HPNS RESRAD-BUILD Indoor Worker

Input File : C:\Users\Craig\Desktop\HPNS BUILD IW Am to Pu_25Sep19_9pt3m2_risk.bld

Evaluation Time: 0.0000000E+00 years

Source: 8

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 4.38E-07 1.88E-10 3.86E-12 1.59E-07 1.02E-06 2.22E-08

Total 4.38E-07 1.88E-10 3.86E-12 1.59E-07 1.02E-06 2.22E-08

Source: 9

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 1.17E-08 5.00E-12 6.80E-14 9.18E-09 0.00E+00 9.33E-09

Total 1.17E-08 5.00E-12 6.80E-14 9.18E-09 0.00E+00 9.33E-09

Source: 10

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 2.20E-07 8.36E-11 1.81E-12 6.67E-07 3.52E-07 9.59E-09

Total 2.20E-07 8.36E-11 1.81E-12 6.67E-07 3.52E-07 9.59E-09

Title : HPNS RESRAD-BUILD Indoor Worker

Input File : C:\Users\Craig\Desktop\HPNS BUILD IW Am to Pu_25Sep19_9pt3m2_risk.bld

Evaluation Time: 0.0000000E+00 years

Nuclide Detail of Risks

=====

[Risk]

Source: 1

Nuclide Receptor Total

1		
AM-241	3.08E-07	3.08E-07
NP-237	9.84E-13	9.84E-13
U-233	1.77E-17	1.77E-17
TH-229	2.03E-19	2.03E-19

Source: 2

Nuclide Receptor Total

1		
CO-60	9.45E-06	9.45E-06

Source: 3

Nuclide Receptor Total

1		
CS-137	5.47E-06	5.47E-06

Source: 4

Nuclide Receptor Total

1		
GD-152	2.65E-19	2.65E-19
EU-152	8.33E-06	8.33E-06

Title : HPNS RESRAD-BUILD Indoor Worker

Input File : C:\Users\Craig\Desktop\HPNS BUILD IW Am to Pu_25Sep19_9pt3m2_risk.bld

Evaluation Time: 0.0000000E+00 years

Source: 5

Nuclide Receptor Total

1

EU-154 7.09E-06 7.09E-06

Source: 6

Nuclide Receptor Total

1

H-3 1.36E-10 1.36E-10

Source: 7

Nuclide Receptor Total

1

PU-239 3.63E-07 3.63E-07

U-235 1.84E-15 1.84E-15

PA-231 1.05E-18 1.05E-18

AC-227 8.08E-19 8.08E-19

Source: 8

Nuclide Receptor Total

1

PO-210 8.44E-09 8.44E-09

RA-226 1.58E-06 1.58E-06

PB-210 1.48E-08 1.48E-08

PB-210 3.55E-08 3.55E-08

Title : HPNS RESRAD-BUILD Indoor Worker

Input File : C:\Users\Craig\Desktop\HPNS BUILD IW Am to Pu_25Sep19_9pt3m2_risk.bld

Evaluation Time: 0.0000000E+00 years

Source: 9

Nuclide Receptor Total

1

SR-90 3.02E-08 3.02E-08

Source: 10

Nuclide Receptor Total

1

TH-232 1.71E-07 1.71E-07

TH-228 5.43E-07 5.43E-07

RA-228 7.70E-08 7.70E-08

TH-228 1.15E-07 1.15E-07

TH-228 3.05E-07 3.05E-07

RA-228 3.81E-08 3.81E-08

** RESRAD-BUILD Dose Program Output, Version 3.50 09/25/19 15:40:47 Page: 1 **

Title : HPNS RESRAD-BUILD Indoor Worker Dose

Input File : C:\Users\Craig\Desktop\HPNS BUILD IW U_25Sep19_9pt3m2_dose.bld

=====
=====
===
== RESRAD-BUILD Table of Contents ==
===
=====

RESRAD-BUILD Input Parameters.....	2
Building Information.....	3
Source Information.....	4
For time = 0.00E+00 yr	
Time Specific Parameters.....	5
Receptor-Source Dose Summary.....	6
Dose by Pathway Detail.....	7
Dose by Nuclide Detail.....	8
Full Summary.....	9

** RESRAD-BUILD Dose Program Output, Version 3.50 09/25/19 15:40:47 Page: 2 **

Title : HPNS RESRAD-BUILD Indoor Worker Dose

Input File : C:\Users\Craig\Desktop\HPNS BUILD IW U_25Sep19_9pt3m2_dose.bld

```
=====
=====
====  RESRAD-BUILD Input Parameters  ====
=====
=====
```

Number of Sources : 1
Number of Receptors: 1
Total Time : 3.650000E+02 days
Fraction Inside : 6.800000E-01

===== Receptor Information =====

Receptor	Room	x	y	z	FracTime	Inhalation	Ingestion(Dust)
		[m]	[m]	[m]	[m ³ /day]	[m ² /hr]	
1	1	1.500	1.500	1.000	0.330	6.00E+01	1.00E-04

==== Receptor-Source Shielding Relationship ===

Receptor	Source	Density	Thickness	Material
		[g/cm ³]	[cm]	

1	1	2.40E+00	0.00E+00	Concrete
---	---	----------	----------	----------

** RESRAD-BUILD Dose Program Output, Version 3.50 09/25/19 15:40:47 Page: 3 **
Title : HPNS RESRAD-BUILD Indoor Worker Dose
Input File : C:\Users\Craig\Desktop\HPNS BUILD IW U_25Sep19_9pt3m2_dose.bld

===== Building Information =====

Building Air Exchange Rate: 1.50E+00 1/hr

Height[m]	Air Exchanges [m ³ /hr]
Area [m ²]	

*	*
*	*
*	<=Q01: 4.25E+01
H1: 3.050	* Room 1 * Q10: 4.25E+01
	* LAMBDA: 1.50E+00 *
Area 9.300	* *
*	*

Deposition velocity: 1.00E-02 [m/s] Resuspension Rate: 5.00E-07 [1/s]

** RESRAD-BUILD Dose Program Output, Version 3.50 09/25/19 15:40:47 Page: 4 **
Title : HPNS RESRAD-BUILD Indoor Worker Dose
Input File : C:\Users\Craig\Desktop\HPNS BUILD IW U_25Sep19_9pt3m2_dose.bld

===== Source Information =====

Source: 1

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00[m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.125E+03 [day]

Contamination::

Nuclide Concentration Dose Conversion Factor (Library: HPNS Adult)

	Ingestion	Inhalation	Submersion	
	[dpm/m ²]	[mrem/dpm]	[mrem/dpm]	[mrem/yr/ (dpm/m ³)]
U-235	4.880E+04	1.204E-04	5.541E-02	4.063E-04
PA-231	0.000E+00	4.775E-03	5.766E-01	9.049E-05
AC-227	0.000E+00	6.665E-03	3.029E+00	9.734E-04

** RESRAD-BUILD Dose Program Output, Version 3.50 09/25/19 15:40:47 Page: 5 **

Title : HPNS RESRAD-BUILD Indoor Worker Dose

Input File : C:\Users\Craig\Desktop\HPNS BUILD IW U_25Sep19_9pt3m2_dose.bld

Evaluation Time: 0.0000000E+00 years

```
=====
===== Assessment for Time: 1 =====
===== Time =0.00E+00 yr =====
=====
```

```
===== Source Information =====
```

Source: 1

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.125E+03 [day]

Contamination:: Nuclide Concentration

[dpm/m²]

U-235 4.880E+04

PA-231 0.000E+00

AC-227 0.000E+00

** RESRAD-BUILD Dose Program Output, Version 3.50 09/25/19 15:40:47 Page: 6 **
Title : HPNS RESRAD-BUILD Indoor Worker Dose
Input File : C:\Users\Craig\Desktop\HPNS BUILD IW U_25Sep19_9pt3m2_dose.bld
Evaluation Time: 0.0000000E+00 years

```
=====
=====
====      RESRAD-BUILD Dose Tables      ====
=====
=====
```

Source Contributions to Receptor Doses

[mrem]

Source	Total
1	
Receptor 1	2.79E-01 2.79E-01
Total	2.79E-01 2.79E-01

** RESRAD-BUILD Dose Program Output, Version 3.50 09/25/19 15:40:47 Page: 7 **
Title : HPNS RESRAD-BUILD Indoor Worker Dose
Input File : C:\Users\Craig\Desktop\HPNS BUILD IW U_25Sep19_9pt3m2_dose.bld
Evaluation Time: 0.0000000E+00 years

Pathway Detail of Doses

=====

[mrem]

Source: 1

	External	Deposition	Immersion	Inhalation	Radon	Ingestion
1	1.31E-02	5.25E-06	8.89E-08	2.65E-01	0.00E+00	4.62E-04
Total	1.31E-02	5.25E-06	8.89E-08	2.65E-01	0.00E+00	4.62E-04

** RESRAD-BUILD Dose Program Output, Version 3.50 09/25/19 15:40:47 Page: 8 **
Title : HPNS RESRAD-BUILD Indoor Worker Dose
Input File : C:\Users\Craig\Desktop\HPNS BUILD IW U_25Sep19_9pt3m2_dose.bld
Evaluation Time: 0.0000000E+00 years

Nuclide Detail of Doses
=====

[mrem]

Source: 1

Nuclide	Receptor	Total
U-235	1	2.79E-01 2.79E-01
PA-231		2.94E-05 2.94E-05
AC-227		1.59E-06 1.59E-06

** RESRAD-BUILD Dose Program Output, Version 3.50 09/25/19 15:40:47 Page: 9 **

Title : HPNS RESRAD-BUILD Indoor Worker Dose

Input File : C:\Users\Craig\Desktop\HPNS BUILD IW U_25Sep19_9pt3m2_dose.bld

Full Summary

```
=====
=====
====      ===
====  RESRAD-BUILD Dose (Time) Tables  ===
====      ===
=====
```

Receptor Dose Received for the Exposure Duration

(mrem)

Evaluation Time [yr]

0.00E+00

1 2.79E-01

Receptor Dose/Yr Averaged Over Exposure Duration

(mrem/yr)

Evaluation Time [yr]

0.00E+00

1 2.79E-01

=====
=====
==
== RESRAD-BUILD Table of Contents ==
==
=====
=====

RESRAD-BUILD Input Parameters.....	2
Building Information.....	3
Source Information.....	4
For time = 0.00E+00 yr	
Time Specific Parameters.....	5
Receptor-Source Risk Summary.....	6
Risk by Pathway Detail.....	7
Risk by Nuclide Detail.....	8

Title : HPNS RESRAD-BUILD Indoor Worker Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD IW U_25Sep19_9pt3m2_risk.bld

```
=====
=====
====  RESRAD-BUILD Input Parameters  ====
=====
=====
```

Number of Sources : 1
Number of Receptors: 1
Total Time : 9.125000E+03 days
Fraction Inside : 6.800000E-01

===== Receptor Information =====

Receptor	Room	x	y	z	FracTime	Inhalation	Ingestion(Dust)
		[m]	[m]	[m]	[m ³ /day]	[m ² /hr]	
1	1	1.500	1.500	1.000	0.330	6.00E+01	1.00E-04

==== Receptor-Source Shielding Relationship ===

Receptor	Source	Density	Thickness	Material
		[g/cm ³]	[cm]	

1	1	2.40E+00	0.00E+00	Concrete
---	---	----------	----------	----------

Title : HPNS RESRAD-BUILD Indoor Worker Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD IW U_25Sep19_9pt3m2_risk.bld

===== Building Information =====

Building Air Exchange Rate: 1.50E+00 1/hr

Height[m] Air Exchanges [m³/hr]

Area [m²]

* *

* *

* <=Q01: 4.25E+01

H1: 3.050 * Room 1 * Q10: 4.25E+01

* LAMBDA: 1.50E+00 *

Area 9.300 * *

* *

Deposition velocity: 1.00E-02 [m/s] Resuspension Rate: 5.00E-07 [1/s]

Title : HPNS RESRAD-BUILD Indoor Worker Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD IW U_25Sep19_9pt3m2_risk.bld

===== Source Information =====

Source: 1

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00[m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.125E+03 [day]

Contamination::

Nuclide Concentration Slope Factor

	Ingestion	Inhalation	
	[dpm/m ²]	[Risk/dpm]	[Risk/dpm]
U-235	4.880E+04	7.359E-11	4.550E-09
PA-231	0.000E+00	1.685E-10	2.050E-08
AC-227	0.000E+00	5.232E-10	9.399E-08

** RESRAD-BUILD Risk Program Output, Version 3.50 09/25/19 15:19:42 Page: 5 **

Title : HPNS RESRAD-BUILD Indoor Worker Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD IW U_25Sep19_9pt3m2_risk.bld

Evaluation Time: 0.0000000E+00 years

```
=====
===== Assessment for Time: 1 =====
===== Time =0.00E+00 yr =====
=====
```

===== Source Information =====

Source: 1

Location:: Room : 1 x: 1.50 y: 1.50 z: 0.00 [m]

Geometry:: Type: Area Length[m]:3.05E+00 Width[m]:3.05E+00 Direction: z

Pathway ::

Direct Ingestion Rate: 0.000E+00 [1/hr]

Fraction released to air: 1.000E-01

Removable fraction: 2.000E-01

Time to Remove: 9.125E+03 [day]

Contamination:: Nuclide Concentration

[dpm/m²]

U-235 4.880E+04

PA-231 0.000E+00

AC-227 0.000E+00

** RESRAD-BUILD Risk Program Output, Version 3.50 09/25/19 15:19:42 Page: 6 **

Title : HPNS RESRAD-BUILD Indoor Worker Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD IW U_25Sep19_9pt3m2_risk.bld

Evaluation Time: 0.0000000E+00 years

```
=====
=====
====      RESRAD-BUILD Risk Tables      ====
=====
=====
```

Source Contributions to Receptor Risks

[Risk]

Source Total

1

Receptor 1 7.54E-07 7.54E-07

Total 7.54E-07 7.54E-07

Title : HPNS RESRAD-BUILD Indoor Worker Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD IW U_25Sep19_9pt3m2_risk.bld

Evaluation Time: 0.0000000E+00 years

Pathway Detail of Risks

=====

[Risk]

Source: 1

Receptor External Deposition Immersion Inhalation Radon Ingestion

1 2.12E-07 9.20E-11 1.56E-12 5.35E-07 0.00E+00 6.91E-09

Total 2.12E-07 9.20E-11 1.56E-12 5.35E-07 0.00E+00 6.91E-09

Title : HPNS RESRAD-BUILD Indoor Worker Risk

Input File : C:\Users\Craig\Desktop\HPNS BUILD IW U_25Sep19_9pt3m2_risk.bld

Evaluation Time: 0.0000000E+00 years

Nuclide Detail of Risks

=====

[Risk]

Source: 1

Nuclide Receptor Total

1

U-235 7.52E-07 7.52E-07

PA-231 6.40E-10 6.40E-10

AC-227 6.33E-10 6.33E-10